

# CRM25 Technical Map

## Comprehensive architecture and capability documentation

Generated at: 2026-02-28 16:52:14

Modules (discovered): 43

Routes: 248

Models: 31

Controllers: 60

Policies: 15

Migrations: 57

This document is generated directly from the Laravel codebase and includes module inventory, relationships, APIs, permissions, storage schema evolution, and implementation-level references.


# Architecture Overview

Layer map: UI (Blade + JS), Web controllers, API controllers (Sanctum), policies/gates, support managers, Eloquent models, migrations, and integration layers (telephony, messengers, forms, disk).

| Layer          | Artifacts                                    | Purpose   |
|----------------|--|---|
| Presentation   | resources/views, resources/js, resources/css | Desktop UI, sidebars, boards, and settings pages              |
| Web app        | app/Http/Controllers/*                       | Server-rendered flows, CRUD, settings, and UX state operation |
| REST API       | app/Http/Controllers/Api/* + routes/api.php  | Mobile/integration endpoints with token scopes                |
| Domain         | app/Models/*                                 | Business entities and relationship graph                      |
| Security       | app/Policies/* + AccessControl/SectionAccess | RBAC, per-entity action matrix, section-level grants          |
| Infrastructure | migrations, queue/cache tables               | Persistence, evolution history, and runtime support           |
| Extensions     | CrmModuleManager hooks                       | Module hook points for platform customization                 |


# Core Charts

## Route coverage by module



# Module dependency graph


Module dependency graph (from model relations)




## Entity relationship graph

Entity relationship graph (model-level)


Permission surface map



# Migration growth timeline



# Code volume by layer



# Module Inventory

| Module               | Web routes | API routes | Controllers | Models | Menu | RBAC | API scope |
|----------------------|------------|------------|-------------|--------|------|------|-----------|
| activities           | 7          | 0          | 1           | 0      | yes  | yes  | no        |
| api                  | 0          | 0          | 0           | 0      | no   | yes  | no        |
| auth                 | 0          | 3          | 1           | 0      | no   | no   | no        |
| broadcasting         | 1          | 0          | 1           | 0      | no   | no   | no        |
| calendar             | 3          | 0          | 1           | 0      | yes  | yes  | no        |
| chat                 | 3          | 0          | 1           | 1      | no   | no   | no        |
| companies            | 7          | 5          | 1           | 1      | yes  | yes  | yes       |
| confirm-password     | 2          | 0          | 1           | 0      | no   | no   | no        |
| contacts             | 7          | 5          | 1           | 1      | yes  | yes  | yes       |
| core                 | 0          | 0          | 0           | 2      | no   | no   | no        |
| dashboard            | 2          | 0          | 1           | 0      | yes  | no   | no        |
| deals                | 8          | 6          | 1           | 2      | yes  | yes  | yes       |
| disks                | 15         | 6          | 2           | 2      | yes  | yes  | yes       |
| docs                 | 4          | 0          | 0           | 0      | no   | no   | no        |
| email                | 1          | 0          | 1           | 0      | no   | no   | no        |
| f                    | 2          | 0          | 1           | 0      | no   | no   | no        |
| forgot-password      | 2          | 0          | 1           | 0      | no   | no   | no        |
| forms                | 6          | 0          | 1           | 2      | yes  | yes  | no        |
| login                | 2          | 0          | 1           | 0      | no   | no   | no        |
| logout               | 1          | 0          | 1           | 0      | no   | no   | no        |
| messengers           | 6          | 17         | 5           | 4      | yes  | yes  | yes       |
| modules              | 4          | 0          | 1           | 1      | no   | no   | no        |
| news                 | 2          | 0          | 1           | 2      | yes  | no   | no        |
| notifications        | 2          | 0          | 1           | 0      | no   | no   | no        |
| password             | 1          | 0          | 1           | 0      | no   | no   | no        |
| pipelines            | 8          | 0          | 1           | 1      | yes  | yes  | no        |
| products             | 7          | 5          | 1           | 1      | yes  | yes  | yes       |
| profile              | 28         | 0          | 8           | 5      | no   | no   | no        |
| projects             | 8          | 6          | 1           | 2      | yes  | yes  | yes       |
| register             | 2          | 0          | 1           | 0      | no   | no   | no        |
| reports              | 1          | 0          | 1           | 0      | yes  | yes  | no        |
| reset-password       | 2          | 0          | 1           | 0      | no   | no   | no        |
| sanctum              | 1          | 0          | 1           | 0      | no   | no   | no        |
| section-access       | 1          | 0          | 1           | 0      | no   | no   | no        |
| storage              | 2          | 0          | 0           | 0      | no   | no   | no        |
| tasks                | 10         | 7          | 1           | 1      | yes  | yes  | yes       |
| telephony            | 3          | 7          | 3           | 2      | yes  | yes  | yes       |
| two-factor-challenge | 2          | 0          | 1           | 0      | no   | no   | no        |
| up                   | 1          | 0          | 0           | 0      | no   | no   | no        |

| Module       | Web routes | API routes | Controllers | Models | Menu | RBAC | API scope |
|--------------|------------|------------|-------------|--------|------|------|-----------|
| users        | 1          | 0          | 1           | 0      | no   | no   | no        |
| verify-email | 2          | 0          | 0           | 0      | no   | no   | no        |
| warehouses   | 7          | 5          | 1           | 1      | yes  | yes  | yes       |
| webhooks     | 0          | 2          | 2           | 0      | no   | no   | no        |

## Module: activities

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 7  |
| API route count    | 0  |
| Controllers        | ActivityController   |
| Models             | -  |
| Route examples     | activities; activities; activities/create; activities/{activity}; activities/{activity}; activities/{activity} |
| Menu-visible       | yes  |
| RBAC matrix entity | yes  |
| API token scopes   | no   |

Dependency edges: activities->core, activities->contacts, activities->deals, activities->profile

# Module: api

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value |
|--------------------|-------|
| Web route count    | 0     |
| API route count    | 0     |
| Controllers        | -     |
| Models             | -     |
| Route examples     | -     |
| Menu-visible       | no    |
| RBAC matrix entity | yes   |
| API token scopes   | no    |

Dependency edges: no cross-module model dependencies detected.

## Module: auth

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 0   |
| API route count    | 3   |
| Controllers        | AuthController  |
| Models             | -   |
| Route examples     | api/v1/auth/login; api/v1/auth/logout; api/v1/auth/me |
| Menu-visible       | no  |
| RBAC matrix entity | no  |
| API token scopes   | no  |

Dependency edges: no cross-module model dependencies detected.

# Module: broadcasting

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value               |
|--------------------|---------------------|
| Web route count    | 1                   |
| API route count    | 0                   |
| Controllers        | BroadcastController |
| Models             | -                   |
| Route examples     | broadcasting/auth   |
| Menu-visible       | no                  |
| RBAC matrix entity | no                  |
| API token scopes   | no                  |

Dependency edges: no cross-module model dependencies detected.

## Module: calendar

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 3   |
| API route count    | 0   |
| Controllers        | CalendarController                                      |
| Models             | -   |
| Route examples     | calendar; calendar/events; calendar/tasks/{task}/timing |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | no  |

Dependency edges: calendar->core, calendar->deals, calendar->projects, calendar->tasks, calendar->profile

# Module: chat

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 3   |
| API route count    | 0   |
| Controllers        | ChatConversationController  |
| Models             | ChatMessage   |
| Route examples     | chat/conversations/{member}; chat/conversations/{member}; chat/sidebar/{member} |
| Menu-visible       | no  |
| RBAC matrix entity | no  |
| API token scopes   | no  |

Dependency edges: chat->profile, chat->disks, profile->chat

# Module: companies

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 7   |
| API route count    | 5   |
| Controllers        | CompanyController   |
| Models             | OrganizationCompany   |
| Route examples     | api/v1/companies; api/v1/companies; api/v1/companies/{company}; api/v1/companies/{company}; api/v1/ |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | yes   |

Dependency edges: companies->profile, profile->companies, companies->core

# Module: confirm-password

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                              |
|--------------------|------------------------------------|
| Web route count    | 2                                  |
| API route count    | 0                                  |
| Controllers        | ConfirmablePasswordController      |
| Models             | -                                  |
| Route examples     | confirm-password; confirm-password |
| Menu-visible       | no                                 |
| RBAC matrix entity | no                                 |
| API token scopes   | no                                 |

Dependency edges: no cross-module model dependencies detected.

# Module: contacts

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 7   |
| API route count    | 5   |
| Controllers        | ContactController   |
| Models             | Contact   |
| Route examples     | api/v1/contacts; api/v1/contacts; api/v1/contacts/{contact}; api/v1/contacts/{contact}; api/v1/contacts/{contact} |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | yes   |

Dependency edges: core->contacts, contacts->core, contacts->profile, contacts->deals, contacts->tasks, deals->contacts, tasks->contacts, profile->contacts, activities->contacts, dashboard->contacts, f->contacts, notifications->contacts

## Module: core

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value             |
|--------------------|-------------------|
| Web route count    | 0                 |
| API route count    | 0                 |
| Controllers        | -                 |
| Models             | Activity, Company |
| Route examples     | -                 |
| Menu-visible       | no                |
| RBAC matrix entity | no                |
| API token scopes   | no                |

Dependency edges: core->deals, core->contacts, core->profile, core->products, core->projects, core->tasks, contacts->core, deals->core, products->core, projects->core, tasks->core, profile->core

## Module: dashboard

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value               |
|--------------------|---------------------|
| Web route count    | 2                   |
| API route count    | 0                   |
| Controllers        | DashboardController |
| Models             | -                   |
| Route examples     | /; dashboard        |
| Menu-visible       | yes                 |
| RBAC matrix entity | no                  |
| API token scopes   | no                  |

Dependency edges: dashboard->core, dashboard->contacts, dashboard->deals, dashboard->pipelines, dashboard->projects, dashboard->tasks

# Module: deals

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 8  |
| API route count    | 6  |
| Controllers        | DealController   |
| Models             | DealStage, Deal  |
| Route examples     | api/v1/deals; api/v1/deals; api/v1/deals/{deal}; api/v1/deals/{deal}; api/v1/deals/{deal}; api/v1/deals/{deal} |
| Menu-visible       | yes  |
| RBAC matrix entity | yes  |
| API token scopes   | yes  |

Dependency edges: core->deals, contacts->deals, deals->pipelines, deals->core, deals->contacts, deals->profile, deals->projects, deals->tasks, pipelines->deals, projects->deals, tasks->deals, profile->deals

# Module: disks

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 15  |
| API route count    | 6   |
| Controllers        | DiskController, DiskExplorerController  |
| Models             | DiskFolder, Disk  |
| Route examples     | api/v1/disks; api/v1/disks; api/v1/disks/{disk}; api/v1/disks/{disk}; api/v1/disks/{disk}; api/v1/disks/{disk}/do |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | yes   |

Dependency edges: chat->disks, disks->profile, profile->disks

# Module: docs

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 4  |
| API route count    | 0  |
| Controllers        | -  |
| Models             | -  |
| Route examples     | docs/api; docs/api.md; docs/modules; docs/modules.md |
| Menu-visible       | no   |
| RBAC matrix entity | no   |
| API token scopes   | no   |

Dependency edges: no cross-module model dependencies detected.

## Module: email

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                                   |
|--------------------|---|
| Web route count    | 1                                       |
| API route count    | 0                                       |
| Controllers        | EmailVerificationNotificationController |
| Models             | -                                       |
| Route examples     | email/verification-notification         |
| Menu-visible       | no                                      |
| RBAC matrix entity | no                                      |
| API token scopes   | no                                      |

Dependency edges: no cross-module model dependencies detected.

## Module: f

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                |
|--------------------|----------------------|
| Web route count    | 2                    |
| API route count    | 0                    |
| Controllers        | PublicFormController |
| Models             | -                    |
| Route examples     | f/{form}; f/{form}   |
| Menu-visible       | no                   |
| RBAC matrix entity | no                   |
| API token scopes   | no                   |

Dependency edges: f->core, f->contacts, f->deals, f->pipelines, f->tasks, f->profile, f->forms

## Module: forgot-password

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                            |
|--------------------|----------------------------------|
| Web route count    | 2                                |
| API route count    | 0                                |
| Controllers        | PasswordResetLinkController      |
| Models             | -                                |
| Route examples     | forgot-password; forgot-password |
| Menu-visible       | no                               |
| RBAC matrix entity | no                               |
| API token scopes   | no                               |

Dependency edges: no cross-module model dependencies detected.

## Module: forms

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 6   |
| API route count    | 0   |
| Controllers        | FormController  |
| Models             | WebFormSubmission, WebForm  |
| Route examples     | forms; forms; forms/create; forms/{form}; forms/{form}; forms/{form}/edit |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | no  |

Dependency edges: forms->profile, f->forms, forms->deals, forms->pipelines, notifications->forms

## Module: login

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                          |
|--------------------|--------------------------------|
| Web route count    | 2                              |
| API route count    | 0                              |
| Controllers        | AuthenticatedSessionController |
| Models             | -                              |
| Route examples     | login; login                   |
| Menu-visible       | no                             |
| RBAC matrix entity | no                             |
| API token scopes   | no                             |

Dependency edges: login->profile

# Module: logout

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                          |
|--------------------|--------------------------------|
| Web route count    | 1                              |
| API route count    | 0                              |
| Controllers        | AuthenticatedSessionController |
| Models             | -                              |
| Route examples     | logout                         |
| Menu-visible       | no                             |
| RBAC matrix entity | no                             |
| API token scopes   | no                             |

Dependency edges: no cross-module model dependencies detected.

# Module: messengers

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 6   |
| API route count    | 17  |
| Controllers        | MessengerController, MessengerMessageController, MessengerSettingsController, MessengerConversationController                               |
| Models             | MessengerMessage, MessengerSetting, MessengerChannel, MessengerConversation   |
| Route examples     | api/v1/messengers/channels; api/v1/messengers/channels; api/v1/messengers/channels/{channel}; api/v1/messengers/channels/{channel}/messages |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | yes   |

Dependency edges: messengers->profile, webhooks->messengers

# Module: modules

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 4   |
| API route count    | 0   |
| Controllers        | ModuleController  |
| Models             | CrmModule   |
| Route examples     | modules; modules/scaffold; modules/{module}; modules/{module} |
| Menu-visible       | no  |
| RBAC matrix entity | no  |
| API token scopes   | no  |

Dependency edges: modules->profile, profile->modules

# Module: news

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value          |
|--------------------|----------------|
| Web route count    | 2              |
| API route count    | 0              |
| Controllers        | NewsController |
| Models             | News, NewsView |
| Route examples     | news; news     |
| Menu-visible       | yes            |
| RBAC matrix entity | no             |
| API token scopes   | no             |

Dependency edges: news->profile

## Module: notifications

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 2  |
| API route count    | 0  |
| Controllers        | NotificationController                       |
| Models             | -  |
| Route examples     | notifications/feed; notifications/{key}/open |
| Menu-visible       | no   |
| RBAC matrix entity | no   |
| API token scopes   | no   |

Dependency edges: notifications->core, notifications->contacts, notifications->deals, notifications->tasks, notifications->profile, notifications->forms

# Module: password

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value              |
|--------------------|--------------------|
| Web route count    | 1                  |
| API route count    | 0                  |
| Controllers        | PasswordController |
| Models             | -                  |
| Route examples     | password           |
| Menu-visible       | no                 |
| RBAC matrix entity | no                 |
| API token scopes   | no                 |

Dependency edges: no cross-module model dependencies detected.

# Module: pipelines

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 8  |
| API route count    | 0  |
| Controllers        | PipelineController   |
| Models             | Pipeline   |
| Route examples     | pipelines; pipelines; pipelines/create; pipelines/{pipeline}; pipelines/{pipeline}; pipelines/{pipeline} |
| Menu-visible       | yes  |
| RBAC matrix entity | yes  |
| API token scopes   | no   |

Dependency edges: deals->pipelines, pipelines->profile, pipelines->deals, dashboard->pipelines, f->pipelines, forms->pipelines

# Module: products

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 7   |
| API route count    | 5   |
| Controllers        | ProductController   |
| Models             | Product   |
| Route examples     | api/v1/products; api/v1/products; api/v1/products/{product}; api/v1/products/{product}; api/v1/products/{product} |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | yes   |

Dependency edges: core->products, products->core, products->profile, profile->products

# Module: profile

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 28   |
| API route count    | 0  |
| Controllers        | ProfileApiTokenController, ProfileThemeController, ProfileTwoFactorController, ProfileController, ProfileA |
| Models             | UserMenuItem, AccessGroup, Theme, User, OrganizationSetting  |
| Route examples     | profile; profile; profile; profile/access; profile/access/groups; profile/access/groups/bulk-assign        |
| Menu-visible       | no   |
| RBAC matrix entity | no   |
| API token scopes   | no   |

Dependency edges: core->profile, chat->profile, contacts->profile, modules->profile, deals->profile, disks->profile, messengers->profile, news->profile, companies->profile, pipelines->profile, products->profile, projects->profile

# Module: projects

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value   |
|--------------------|---|
| Web route count    | 8   |
| API route count    | 6   |
| Controllers        | ProjectController   |
| Models             | ProjectStage, Project   |
| Route examples     | api/v1/projects; api/v1/projects; api/v1/projects/{project}; api/v1/projects/{project}; api/v1/projects/{project} |
| Menu-visible       | yes   |
| RBAC matrix entity | yes   |
| API token scopes   | yes   |

Dependency edges: core->projects, deals->projects, projects->core, projects->deals, projects->profile, projects->tasks, tasks->projects, profile->projects, calendar->projects, dashboard->projects, reports->projects

## Module: register

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                    |
|--------------------|--------------------------|
| Web route count    | 2                        |
| API route count    | 0                        |
| Controllers        | RegisteredUserController |
| Models             | -                        |
| Route examples     | register; register       |
| Menu-visible       | no                       |
| RBAC matrix entity | no                       |
| API token scopes   | no                       |

Dependency edges: register->profile

## Module: reports

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value            |
|--------------------|------------------|
| Web route count    | 1                |
| API route count    | 0                |
| Controllers        | ReportController |
| Models             | -                |
| Route examples     | reports          |
| Menu-visible       | yes              |
| RBAC matrix entity | yes              |
| API token scopes   | no               |

Dependency edges: reports->deals, reports->projects, reports->tasks, reports->profile

# Module: reset-password

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                                  |
|--------------------|--|
| Web route count    | 2                                      |
| API route count    | 0                                      |
| Controllers        | NewPasswordController                  |
| Models             | -                                      |
| Route examples     | reset-password; reset-password/{token} |
| Menu-visible       | no                                     |
| RBAC matrix entity | no                                     |
| API token scopes   | no                                     |

Dependency edges: reset-password->profile

# Module: sanctum

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                |
|--------------------|----------------------|
| Web route count    | 1                    |
| API route count    | 0                    |
| Controllers        | CsrfCookieController |
| Models             | -                    |
| Route examples     | sanctum/csrf-cookie  |
| Menu-visible       | no                   |
| RBAC matrix entity | no                   |
| API token scopes   | no                   |

Dependency edges: no cross-module model dependencies detected.

# Module: section-access

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                   |
|--------------------|-------------------------|
| Web route count    | 1                       |
| API route count    | 0                       |
| Controllers        | SectionAccessController |
| Models             | -                       |
| Route examples     | section-access/{entity} |
| Menu-visible       | no                      |
| RBAC matrix entity | no                      |
| API token scopes   | no                      |

Dependency edges: section-access->profile

# Module: storage

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                          |
|--------------------|--------------------------------|
| Web route count    | 2                              |
| API route count    | 0                              |
| Controllers        | -                              |
| Models             | -                              |
| Route examples     | storage/{path}; storage/{path} |
| Menu-visible       | no                             |
| RBAC matrix entity | no                             |
| API token scopes   | no                             |

Dependency edges: no cross-module model dependencies detected.

# Module: tasks

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 10   |
| API route count    | 7  |
| Controllers        | TaskController   |
| Models             | Task   |
| Route examples     | api/v1/tasks; api/v1/tasks; api/v1/tasks/{task}; api/v1/tasks/{task}; api/v1/tasks/{task}; api/v1/tasks/{task}/o |
| Menu-visible       | yes  |
| RBAC matrix entity | yes  |
| API token scopes   | yes  |

Dependency edges: core->tasks, contacts->tasks, deals->tasks, projects->tasks, tasks->deals, tasks->core, tasks->contacts, tasks->projects, tasks->profile, profile->tasks, calendar->tasks, dashboard->tasks

# Module: telephony

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 3  |
| API route count    | 7  |
| Controllers        | TelephonySettingsController, TelephonyCallController, TelephonyController  |
| Models             | TelephonySetting, TelephonyCall  |
| Route examples     | api/v1/telephony/calls; api/v1/telephony/calls; api/v1/telephony/calls/{call}; api/v1/telephony/calls/{call}; ap |
| Menu-visible       | yes  |
| RBAC matrix entity | yes  |
| API token scopes   | yes  |

Dependency edges: telephony->profile, webhooks->telephony

# Module: two-factor-challenge

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                                      |
|--------------------|--|
| Web route count    | 2  |
| API route count    | 0  |
| Controllers        | TwoFactorChallengeController               |
| Models             | -  |
| Route examples     | two-factor-challenge; two-factor-challenge |
| Menu-visible       | no   |
| RBAC matrix entity | no   |
| API token scopes   | no   |

Dependency edges: two-factor-challenge->profile

# Module: up

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value |
|--------------------|-------|
| Web route count    | 1     |
| API route count    | 0     |
| Controllers        | -     |
| Models             | -     |
| Route examples     | up    |
| Menu-visible       | no    |
| RBAC matrix entity | no    |
| API token scopes   | no    |

Dependency edges: no cross-module model dependencies detected.

# Module: users

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value          |
|--------------------|----------------|
| Web route count    | 1              |
| API route count    | 0              |
| Controllers        | UserController |
| Models             | -              |
| Route examples     | users/{member} |
| Menu-visible       | no             |
| RBAC matrix entity | no             |
| API token scopes   | no             |

Dependency edges: users->profile

# Module: verify-email

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value                                  |
|--------------------|--|
| Web route count    | 2                                      |
| API route count    | 0                                      |
| Controllers        | -                                      |
| Models             | -                                      |
| Route examples     | verify-email; verify-email/{id}/{hash} |
| Menu-visible       | no                                     |
| RBAC matrix entity | no                                     |
| API token scopes   | no                                     |

Dependency edges: no cross-module model dependencies detected.

# Module: warehouses

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 7  |
| API route count    | 5  |
| Controllers        | WarehouseController  |
| Models             | Warehouse  |
| Route examples     | api/v1/warehouses; api/v1/warehouses; api/v1/warehouses/{warehouse}; api/v1/warehouses/{warehouse} |
| Menu-visible       | yes  |
| RBAC matrix entity | yes  |
| API token scopes   | yes  |

Dependency edges: profile->warehouses, warehouses->profile

# Module: webhooks

Capability profile combines route surface, data models, controller ownership, and security surface. The section can be used as a baseline for scaling, decomposition, and API hardening.

| Metric             | Value  |
|--------------------|--|
| Web route count    | 0  |
| API route count    | 2  |
| Controllers        | TelephonyWebhookController, MessengerWebhookController |
| Models             | -  |
| Route examples     | api/webhooks/messengers; api/webhooks/telephony        |
| Menu-visible       | no   |
| RBAC matrix entity | no   |
| API token scopes   | no   |

Dependency edges: webhooks->messengers, webhooks->profile, webhooks->telephony

## Model: AccessGroup

Source: app/Models/AccessGroup.php

Line count: 30

Assigned module: profile

| Relation type | Target model |
|---------------|--------------|
| hasMany       | User         |

Public methods: users

# Model: Activity

Source: app/Models/Activity.php

Line count: 62

Assigned module: core

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Deal         |
| belongsTo     | Company      |
| belongsTo     | Contact      |
| belongsTo     | User         |

Public methods: deal, company, contact, user

## Model: ChatMessage

Source: app/Models/ChatMessage.php

Line count: 50

Assigned module: chat

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |
| belongsTo     | User         |
| belongsTo     | Disk         |

Public methods: sender, recipient, disk

# Model: Company

Source: app/Models/Company.php

Line count: 67

Assigned module: core

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |
| hasMany       | Contact      |
| hasMany       | Deal         |
| hasMany       | Product      |
| hasMany       | Project      |
| hasMany       | Task         |
| hasMany       | Activity     |

Public methods: owner, contacts, deals, products, projects, tasks, activities

# Model: Contact

Source: app/Models/Contact.php

Line count: 72

Assigned module: contacts

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Company      |
| belongsTo     | User         |
| hasMany       | Deal         |
| hasMany       | Task         |
| hasMany       | Activity     |

Public methods: company, owner, deals, tasks, activities, getFullNameAttribute

## Model: CrmModule

Source: app/Models/CrmModule.php

Line count: 47

Assigned module: modules

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |

Public methods: author

# Model: Deal

Source: app/Models/Deal.php

Line count: 90

Assigned module: deals

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Pipeline     |
| belongsTo     | DealStage    |
| belongsTo     | Company      |
| belongsTo     | Contact      |
| belongsTo     | User         |
| hasMany       | Project      |
| hasMany       | Task         |
| hasMany       | Activity     |

Public methods: pipeline, stage, company, contact, owner, projects, tasks, activities

## Model: DealStage

Source: app/Models/DealStage.php

Line count: 52

Assigned module: deals

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Pipeline     |
| hasMany       | Deal         |

Public methods: pipeline, deals

# Model: Disk

Source: app/Models/Disk.php

Line count: 58

Assigned module: disks

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |

Public methods: owner, iconMeta

## Model: DiskFolder

Source: app/Models/DiskFolder.php

Line count: 39

Assigned module: disks

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |

Public methods: owner

## Model: MessengerChannel

Source: app/Models/MessengerChannel.php

Line count: 43

Assigned module: messengers

| Relation type | Target model          |
|---------------|-----------------------|
| hasMany       | MessengerConversation |

Public methods: conversations

# Model: MessengerConversation

Source: app/Models/MessengerConversation.php

Line count: 62

Assigned module: messengers

| Relation type | Target model     |
|---------------|------------------|
| belongsTo     | MessengerChannel |
| belongsTo     | User             |
| hasMany       | MessengerMessage |
| hasOne        | MessengerMessage |

Public methods: channel, user, messages, lastMessage

## Model: MessengerMessage

Source: app/Models/MessengerMessage.php

Line count: 51

Assigned module: messengers

| Relation type | Target model          |
|---------------|-----------------------|
| belongsTo     | MessengerConversation |
| belongsTo     | User                  |

Public methods: conversation, user

## Model: MessengerSetting

Source: app/Models/MessengerSetting.php

Line count: 36

Assigned module: messengers

No explicit Eloquent relations detected by static scan.

Public methods: -

# Model: News

Source: app/Models/News.php

Line count: 46

Assigned module: news

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |
| hasMany       | NewsView     |

Public methods: author, views

## Model: NewsView

Source: app/Models/NewsView.php

Line count: 42

Assigned module: news

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | News         |
| belongsTo     | User         |

Public methods: news, user

# Model: OrganizationCompany

Source: app/Models/OrganizationCompany.php

Line count: 58

Assigned module: companies

| Relation type | Target model |
|---------------|--------------|
| hasMany       | User         |
| belongsTo     | self         |
| hasMany       | self         |

Public methods: users, parent, children, phonesAsText

## Model: OrganizationSetting

Source: app/Models/OrganizationSetting.php

Line count: 35

Assigned module: profile

No explicit Eloquent relations detected by static scan.

Public methods: -

# Model: Pipeline

Source: app/Models/Pipeline.php

Line count: 54

Assigned module: pipelines

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |
| hasMany       | DealStage    |
| hasMany       | Deal         |

Public methods: creator, stages, deals

# Model: Product

Source: app/Models/Product.php

Line count: 51

Assigned module: products

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Company      |
| belongsTo     | User         |

Public methods: company, owner

# Model: Project

Source: app/Models/Project.php

Line count: 111

Assigned module: projects

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Company      |
| belongsTo     | Deal         |
| belongsTo     | User         |
| belongsTo     | User         |
| hasMany       | ProjectStage |
| hasMany       | Task         |
| belongsToMany | User         |

Public methods: company, deal, owner, manager, stages, tasks, members, recalculateProgress

# Model: ProjectStage

Source: app/Models/ProjectStage.php

Line count: 49

Assigned module: projects

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Project      |
| hasMany       | Task         |

Public methods: project, tasks

# Model: Task

Source: app/Models/Task.php

Line count: 106

Assigned module: tasks

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | Deal         |
| belongsTo     | Company      |
| belongsTo     | Contact      |
| belongsTo     | Project      |
| belongsTo     | ProjectStage |
| belongsTo     | self         |
| hasMany       | self         |
| hasMany       | self         |
| belongsTo     | User         |
| belongsTo     | User         |

Public methods: deal, company, contact, project, projectStage, parent, subtasks, doneSubtasks, creator, assignee

# Model: TelephonyCall

Source: app/Models/TelephonyCall.php

Line count: 49

Assigned module: telephony

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |

Public methods: user

## Model: TelephonySetting

Source: app/Models/TelephonySetting.php

Line count: 38

Assigned module: telephony

No explicit Eloquent relations detected by static scan.

Public methods: -

## Model: Theme

Source: app/Models/Theme.php

Line count: 38

Assigned module: profile

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |

Public methods: creator

# Model: User

Source: app/Models/User.php

Line count: 200

Assigned module: profile

| Relation type | Target model        |
|---------------|---------------------|
| hasMany       | Company             |
| hasMany       | Contact             |
| hasMany       | Deal                |
| hasMany       | Product             |
| hasMany       | Warehouse           |
| hasMany       | Project             |
| hasMany       | Project             |
| belongsToMany | Project             |
| hasMany       | Task                |
| hasMany       | Task                |
| hasMany       | Activity            |
| hasMany       | Disk                |
| hasMany       | ChatMessage         |
| belongsTo     | self                |
| belongsTo     | OrganizationCompany |
| belongsTo     | AccessGroup         |
| hasMany       | self                |
| hasMany       | ChatMessage         |
| hasMany       | UserMenuItem        |

Public methods: companies, contacts, deals, products, warehouses, ownedProjects, managedProjects, projectMemberships, createdTasks, assignedTasks, activities, disks, sentChatMessages, manager, organizationCompany, accessGroup, subordinates, receivedChatMessages, menuItems, isAdmin, hasTwoFactorEnabled

## Model: UserMenuItem

Source: app/Models/UserMenuItem.php

Line count: 46

Assigned module: profile

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |

Public methods: user

## Model: Warehouse

Source: app/Models/Warehouse.php

Line count: 43

Assigned module: warehouses

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | User         |

Public methods: manager

## Model: WebForm

Source: app/Models/WebForm.php

Line count: 57

Assigned module: forms

| Relation type | Target model      |
|---------------|-------------------|
| belongsTo     | User              |
| hasMany       | WebFormSubmission |

Public methods: owner, submissions

## Model: WebFormSubmission

Source: app/Models/WebFormSubmission.php

Line count: 44

Assigned module: forms

| Relation type | Target model |
|---------------|--------------|
| belongsTo     | WebForm      |

Public methods: form

# Controller: ActivityController

Source: app/Http/Controllers/ActivityController.php

Controller type: web

Line count: 146

Inferred module: activities

Methods (8): \_\_construct, index, create, store, show, edit, update, destroy

Model dependencies: Activity, Company, Contact, Deal, User

| Method    | URI                        | Route name         |
|-----------|----------------------------|--------------------|
| GET HEAD  | activities                 | activities.index   |
| POST      | activities                 | activities.store   |
| GET HEAD  | activities/create          | activities.create  |
| GET HEAD  | activities/{activity}      | activities.show    |
| PUT PATCH | activities/{activity}      | activities.update  |
| DELETE    | activities/{activity}      | activities.destroy |
| GET HEAD  | activities/{activity}/edit | activities.edit    |

# Controller: AuthController

Source: app/Http/Controllers/Api/AuthController.php

Controller type: api

Line count: 57

Inferred module: auth

Methods (3): login, me, logout

Model dependencies: -

| Method   | URI                | Route name |
|----------|--------------------|------------|
| POST     | api/v1/auth/login  | api.v1.    |
| POST     | api/v1/auth/logout | api.v1.    |
| GET HEAD | api/v1/auth/me     | api.v1.    |

# Controller: CompanyController

Source: app/Http/Controllers/Api/CompanyController.php

Controller type: api

Line count: 148

Inferred module: companies

Methods (6): \_\_construct, index, store, show, update, destroy

Model dependencies: Company

| Method    | URI                        | Route name        |
|-----------|----------------------------|-------------------|
| GET HEAD  | api/v1/companies           | api.v1.           |
| POST      | api/v1/companies           | api.v1.           |
| GET HEAD  | api/v1/companies/{company} | api.v1.           |
| PUT PATCH | api/v1/companies/{company} | api.v1.           |
| DELETE    | api/v1/companies/{company} | api.v1.           |
| GET HEAD  | companies                  | companies.index   |
| POST      | companies                  | companies.store   |
| GET HEAD  | companies/create           | companies.create  |
| GET HEAD  | companies/{company}        | companies.show    |
| PUT PATCH | companies/{company}        | companies.update  |
| DELETE    | companies/{company}        | companies.destroy |
| GET HEAD  | companies/{company}/edit   | companies.edit    |

# Controller: ContactController

Source: app/Http/Controllers/Api/ContactController.php

Controller type: api

Line count: 144

Inferred module: contacts

Methods (6): \_\_construct, index, store, show, update, destroy

Model dependencies: Contact

| Method    | URI                       | Route name       |
|-----------|---------------------------|------------------|
| GET HEAD  | api/v1/contacts           | api.v1.          |
| POST      | api/v1/contacts           | api.v1.          |
| GET HEAD  | api/v1/contacts/{contact} | api.v1.          |
| PUT PATCH | api/v1/contacts/{contact} | api.v1.          |
| DELETE    | api/v1/contacts/{contact} | api.v1.          |
| GET HEAD  | contacts                  | contacts.index   |
| POST      | contacts                  | contacts.store   |
| GET HEAD  | contacts/create           | contacts.create  |
| GET HEAD  | contacts/{contact}        | contacts.show    |
| PUT PATCH | contacts/{contact}        | contacts.update  |
| DELETE    | contacts/{contact}        | contacts.destroy |
| GET HEAD  | contacts/{contact}/edit   | contacts.edit    |

# Controller: DealController

Source: app/Http/Controllers/Api/DealController.php

Controller type: api

Line count: 174

Inferred module: deals

Methods (7): \_\_construct, index, store, show, update, destroy, updateStage

Model dependencies: Deal, DealStage

| Method    | URI                       | Route name         |
|-----------|---------------------------|--------------------|
| GET HEAD  | api/v1/deals              | api.v1.            |
| POST      | api/v1/deals              | api.v1.            |
| GET HEAD  | api/v1/deals/{deal}       | api.v1.            |
| PUT PATCH | api/v1/deals/{deal}       | api.v1.            |
| DELETE    | api/v1/deals/{deal}       | api.v1.            |
| PATCH     | api/v1/deals/{deal}/stage | api.v1.            |
| GET HEAD  | deals                     | deals.index        |
| POST      | deals                     | deals.store        |
| GET HEAD  | deals/create              | deals.create       |
| GET HEAD  | deals/{deal}              | deals.show         |
| PUT PATCH | deals/{deal}              | deals.update       |
| DELETE    | deals/{deal}              | deals.destroy      |
| GET HEAD  | deals/{deal}/edit         | deals.edit         |
| PATCH     | deals/{deal}/stage        | deals.update-stage |

# Controller: DiskController

Source: app/Http/Controllers/Api/DiskController.php

Controller type: api

Line count: 145

Inferred module: disks

Methods (7): \_\_construct, index, store, show, update, destroy, download

Model dependencies: Disk

| Method    | URI                          | Route name          |
|-----------|------------------------------|---------------------|
| GET HEAD  | api/v1/disks                 | api.v1.             |
| POST      | api/v1/disks                 | api.v1.             |
| GET HEAD  | api/v1/disks/{disk}          | api.v1.             |
| PUT PATCH | api/v1/disks/{disk}          | api.v1.             |
| DELETE    | api/v1/disks/{disk}          | api.v1.             |
| GET HEAD  | api/v1/disks/{disk}/download | api.v1.             |
| GET HEAD  | disks                        | disks.index         |
| POST      | disks                        | disks.store         |
| POST      | disks/folders                | disks.folders.store |
| PATCH     | disks/{disk}                 | disks.update        |
| DELETE    | disks/{disk}                 | disks.destroy       |
| GET HEAD  | disks/{disk}/download        | disks.download      |
| GET HEAD  | disks/{disk}/inline          | disks.inline        |
| GET HEAD  | disks/{disk}/preview         | disks.preview       |

# Controller: MessengerChannelController

Source: app/Http/Controllers/Api/MessengerChannelController.php

Controller type: api

Line count: 151

Inferred module: messengers

Methods (6): \_\_construct, index, store, show, update, destroy

Model dependencies: MessengerChannel

| Method    | URI                                  | Route name |
|-----------|--------------------------------------|------------|
| GET HEAD  | api/v1/messengers/channels           | api.v1.    |
| POST      | api/v1/messengers/channels           | api.v1.    |
| GET HEAD  | api/v1/messengers/channels/{channel} | api.v1.    |
| PUT PATCH | api/v1/messengers/channels/{channel} | api.v1.    |
| DELETE    | api/v1/messengers/channels/{channel} | api.v1.    |

# Controller: MessengerConversationController

Source: app/Http/Controllers/Api/MessengerConversationController.php

Controller type: api

Line count: 188

Inferred module: messengers

Methods (6): \_\_construct, index, store, show, update, destroy

Model dependencies: MessengerChannel, MessengerConversation

| Method    | URI  | Route name |
|-----------|--|------------|
| GET HEAD  | api/v1/messengers/conversations                | api.v1.    |
| POST      | api/v1/messengers/conversations                | api.v1.    |
| GET HEAD  | api/v1/messengers/conversations/{conversation} | api.v1.    |
| PUT PATCH | api/v1/messengers/conversations/{conversation} | api.v1.    |
| DELETE    | api/v1/messengers/conversations/{conversation} | api.v1.    |

# Controller: MessengerMessageController

Source: app/Http/Controllers/Api/MessengerMessageController.php

Controller type: api

Line count: 174

Inferred module: messengers

Methods (5): index, store, show, update, destroy

Model dependencies: MessengerConversation, MessengerMessage

| Method    | URI   | Route name |
|-----------|---|------------|
| GET HEAD  | api/v1/messengers/conversations/{conversation}/messages | api.v1.    |
| POST      | api/v1/messengers/conversations/{conversation}/messages | api.v1.    |
| GET HEAD  | api/v1/messengers/messages/{message}                    | api.v1.    |
| PUT PATCH | api/v1/messengers/messages/{message}                    | api.v1.    |
| DELETE    | api/v1/messengers/messages/{message}                    | api.v1.    |

# Controller: MessengerSettingsController

Source: app/Http/Controllers/Api/MessengerSettingsController.php

Controller type: api

Line count: 73

Inferred module: messengers

Methods (2): show, update

Model dependencies: MessengerSetting

| Method    | URI                        | Route name |
|-----------|----------------------------|------------|
| GET HEAD  | api/v1/messengers/settings | api.v1.    |
| PUT PATCH | api/v1/messengers/settings | api.v1.    |

# Controller: ProductController

Source: app/Http/Controllers/Api/ProductController.php

Controller type: api

Line count: 118

Inferred module: products

Methods (6): \_\_construct, index, store, show, update, destroy

Model dependencies: Product

| Method    | URI                       | Route name       |
|-----------|---------------------------|------------------|
| GET HEAD  | api/v1/products           | api.v1.          |
| POST      | api/v1/products           | api.v1.          |
| GET HEAD  | api/v1/products/{product} | api.v1.          |
| PUT PATCH | api/v1/products/{product} | api.v1.          |
| DELETE    | api/v1/products/{product} | api.v1.          |
| GET HEAD  | products                  | products.index   |
| POST      | products                  | products.store   |
| GET HEAD  | products/create           | products.create  |
| GET HEAD  | products/{product}        | products.show    |
| PUT PATCH | products/{product}        | products.update  |
| DELETE    | products/{product}        | products.destroy |
| GET HEAD  | products/{product}/edit   | products.edit    |

# Controller: ProjectController

Source: app/Http/Controllers/Api/ProjectController.php

Controller type: api

Line count: 202

Inferred module: projects

Methods (7): \_\_construct, index, store, show, update, destroy, updateTaskStage

Model dependencies: Project, ProjectStage, Task

| Method    | URI  | Route name                  |
|-----------|--|-----------------------------|
| GET HEAD  | api/v1/projects                              | api.v1.                     |
| POST      | api/v1/projects                              | api.v1.                     |
| GET HEAD  | api/v1/projects/{project}                    | api.v1.                     |
| PUT PATCH | api/v1/projects/{project}                    | api.v1.                     |
| DELETE    | api/v1/projects/{project}                    | api.v1.                     |
| PATCH     | api/v1/projects/{project}/tasks/{task}/stage | api.v1.                     |
| GET HEAD  | projects                                     | projects.index              |
| POST      | projects                                     | projects.store              |
| GET HEAD  | projects/create                              | projects.create             |
| GET HEAD  | projects/{project}                           | projects.show               |
| PUT PATCH | projects/{project}                           | projects.update             |
| DELETE    | projects/{project}                           | projects.destroy            |
| GET HEAD  | projects/{project}/edit                      | projects.edit               |
| PATCH     | projects/{project}/tasks/{task}/stage        | projects.tasks.update-stage |

# Controller: TaskController

Source: app/Http/Controllers/Api/TaskController.php

Controller type: api

Line count: 386

Inferred module: tasks

Methods (8): \_\_construct, index, store, show, update, destroy, complete, updateStatus

Model dependencies: Project, ProjectStage, Task

| Method    | URI                          | Route name          |
|-----------|------------------------------|---------------------|
| GET HEAD  | api/v1/tasks                 | api.v1.             |
| POST      | api/v1/tasks                 | api.v1.             |
| GET HEAD  | api/v1/tasks/{task}          | api.v1.             |
| PUT PATCH | api/v1/tasks/{task}          | api.v1.             |
| DELETE    | api/v1/tasks/{task}          | api.v1.             |
| PATCH     | api/v1/tasks/{task}/complete | api.v1.             |
| PATCH     | api/v1/tasks/{task}/status   | api.v1.             |
| GET HEAD  | tasks                        | tasks.index         |
| POST      | tasks                        | tasks.store         |
| GET HEAD  | tasks/create                 | tasks.create        |
| PATCH     | tasks/kanban/preset          | tasks.kanban.preset |
| GET HEAD  | tasks/{task}                 | tasks.show          |
| PUT PATCH | tasks/{task}                 | tasks.update        |
| DELETE    | tasks/{task}                 | tasks.destroy       |
| PATCH     | tasks/{task}/complete        | tasks.complete      |
| GET HEAD  | tasks/{task}/edit            | tasks.edit          |
| PATCH     | tasks/{task}/status          | tasks.update-status |

# Controller: TelephonyCallController

Source: app/Http/Controllers/Api/TelephonyCallController.php

Controller type: api

Line count: 161

Inferred module: telephony

Methods (6): \_\_construct, index, store, show, update, destroy

Model dependencies: TelephonyCall

| Method    | URI                           | Route name |
|-----------|-------------------------------|------------|
| GET HEAD  | api/v1/telephony/calls        | api.v1.    |
| POST      | api/v1/telephony/calls        | api.v1.    |
| GET HEAD  | api/v1/telephony/calls/{call} | api.v1.    |
| PUT PATCH | api/v1/telephony/calls/{call} | api.v1.    |
| DELETE    | api/v1/telephony/calls/{call} | api.v1.    |

# Controller: TelephonySettingsController

Source: app/Http/Controllers/Api/TelephonySettingsController.php

Controller type: api

Line count: 77

Inferred module: telephony

Methods (2): show, update

Model dependencies: TelephonySetting

| Method    | URI                       | Route name |
|-----------|---------------------------|------------|
| GET HEAD  | api/v1/telephony/settings | api.v1.    |
| PUT PATCH | api/v1/telephony/settings | api.v1.    |

# Controller: WarehouseController

Source: app/Http/Controllers/Api/WarehouseController.php

Controller type: api

Line count: 112

Inferred module: warehouses

Methods (6): \_\_construct, index, store, show, update, destroy

Model dependencies: Warehouse

| Method    | URI                           | Route name         |
|-----------|-------------------------------|--------------------|
| GET HEAD  | api/v1/warehouses             | api.v1.            |
| POST      | api/v1/warehouses             | api.v1.            |
| GET HEAD  | api/v1/warehouses/{warehouse} | api.v1.            |
| PUT PATCH | api/v1/warehouses/{warehouse} | api.v1.            |
| DELETE    | api/v1/warehouses/{warehouse} | api.v1.            |
| GET HEAD  | warehouses                    | warehouses.index   |
| POST      | warehouses                    | warehouses.store   |
| GET HEAD  | warehouses/create             | warehouses.create  |
| GET HEAD  | warehouses/{warehouse}        | warehouses.show    |
| PUT PATCH | warehouses/{warehouse}        | warehouses.update  |
| DELETE    | warehouses/{warehouse}        | warehouses.destroy |
| GET HEAD  | warehouses/{warehouse}/edit   | warehouses.edit    |

# Controller: AuthenticatedSessionController

Source: app/Http/Controllers/Auth/AuthenticatedSessionController.php

Controller type: web

Line count: 67

Inferred module: login

Methods (3): create, store, destroy

Model dependencies: User

| Method   | URI    | Route name |
|----------|--------|------------|
| GET HEAD | login  | login      |
| POST     | login  | -          |
| POST     | logout | logout     |

# Controller: ConfirmablePasswordController

Source: app/Http/Controllers/Auth/ConfirmablePasswordController.php

Controller type: web

Line count: 41

Inferred module: confirm-password

Methods (2): show, store

Model dependencies: -

| Method   | URI              | Route name       |
|----------|------------------|------------------|
| GET HEAD | confirm-password | password.confirm |
| POST     | confirm-password | -                |

# Controller: EmailVerificationNotificationController

Source: app/Http/Controllers/Auth/EmailVerificationNotificationController.php

Controller type: web

Line count: 25

Inferred module: email

Methods (1): store

Model dependencies: -

| Method | URI                             | Route name        |
|--------|---------------------------------|-------------------|
| POST   | email/verification-notification | verification.send |

# Controller: EmailVerificationPromptController

Source: app/Http/Controllers/Auth/EmailVerificationPromptController.php

Controller type: web

Line count: 22

Inferred module: email\_verification\_prompt

Methods (1): \_\_invoke

Model dependencies: -

# Controller: NewPasswordController

Source: app/Http/Controllers/Auth/NewPasswordController.php

Controller type: web

Line count: 63

Inferred module: reset-password

Methods (2): create, store

Model dependencies: User

| Method   | URI                    | Route name     |
|----------|------------------------|----------------|
| POST     | reset-password         | password.store |
| GET HEAD | reset-password/{token} | password.reset |

# Controller: PasswordController

Source: app/Http/Controllers/Auth/PasswordController.php

Controller type: web

Line count: 30

Inferred module: password

Methods (1): update

Model dependencies: -

| Method | URI      | Route name      |
|--------|----------|-----------------|
| PUT    | password | password.update |

# Controller: PasswordResetLinkController

Source: app/Http/Controllers/Auth/PasswordResetLinkController.php

Controller type: web

Line count: 45

Inferred module: forgot-password

Methods (2): create, store

Model dependencies: -

| Method   | URI             | Route name       |
|----------|-----------------|------------------|
| GET HEAD | forgot-password | password.request |
| POST     | forgot-password | password.email   |

# Controller: RegisteredUserController

Source: app/Http/Controllers/Auth/RegisteredUserController.php

Controller type: web

Line count: 51

Inferred module: register

Methods (2): create, store

Model dependencies: User

| Method   | URI      | Route name |
|----------|----------|------------|
| GET HEAD | register | register   |
| POST     | register | -          |

# Controller: TwoFactorChallengeController

Source: app/Http/Controllers/Auth/TwoFactorChallengeController.php

Controller type: web

Line count: 100

Inferred module: two-factor-challenge

Methods (2): create, store

Model dependencies: User

| Method   | URI                  | Route name           |
|----------|----------------------|----------------------|
| GET HEAD | two-factor-challenge | two-factor.challenge |
| POST     | two-factor-challenge | two-factor.verify    |

## Controller: VerifyEmailController

Source: app/Http/Controllers/Auth/VerifyEmailController.php

Controller type: web

Line count: 28

Inferred module: verify\_email

Methods (1): \_\_invoke

Model dependencies: -

# Controller: CalendarController

Source: app/Http/Controllers/CalendarController.php

Controller type: web

Line count: 455

Inferred module: calendar

Methods (3): index, events, updateTaskTiming

Model dependencies: Activity, Deal, Project, Task, User

| Method   | URI                          | Route name            |
|----------|------------------------------|-----------------------|
| GET HEAD | calendar                     | calendar.index        |
| GET HEAD | calendar/events              | calendar.events       |
| PATCH    | calendar/tasks/{task}/timing | calendar.tasks.timing |

# Controller: ChatConversationController

Source: app/Http/Controllers/ChatConversationController.php

Controller type: web

Line count: 247

Inferred module: chat

Methods (3): sidebar, show, store

Model dependencies: ChatMessage, Disk, User

| Method   | URI                         | Route name               |
|----------|-----------------------------|--------------------------|
| GET HEAD | chat/conversations/{member} | chat.conversations.show  |
| POST     | chat/conversations/{member} | chat.conversations.store |
| GET HEAD | chat/sidebar/{member}       | chat.sidebar             |

# Controller: CompanyController

Source: app/Http/Controllers/CompanyController.php

Controller type: web

Line count: 174

Inferred module: companies

Methods (8): \_\_construct, index, create, store, show, edit, update, destroy

Model dependencies: Company, User

| Method    | URI                        | Route name        |
|-----------|----------------------------|-------------------|
| GET HEAD  | api/v1/companies           | api.v1.           |
| POST      | api/v1/companies           | api.v1.           |
| GET HEAD  | api/v1/companies/{company} | api.v1.           |
| PUT PATCH | api/v1/companies/{company} | api.v1.           |
| DELETE    | api/v1/companies/{company} | api.v1.           |
| GET HEAD  | companies                  | companies.index   |
| POST      | companies                  | companies.store   |
| GET HEAD  | companies/create           | companies.create  |
| GET HEAD  | companies/{company}        | companies.show    |
| PUT PATCH | companies/{company}        | companies.update  |
| DELETE    | companies/{company}        | companies.destroy |
| GET HEAD  | companies/{company}/edit   | companies.edit    |

# Controller: ContactController

Source: app/Http/Controllers/ContactController.php

Controller type: web

Line count: 181

Inferred module: contacts

Methods (8): \_\_construct, index, create, store, show, edit, update, destroy

Model dependencies: Company, Contact, User

| Method    | URI                       | Route name       |
|-----------|---------------------------|------------------|
| GET HEAD  | api/v1/contacts           | api.v1.          |
| POST      | api/v1/contacts           | api.v1.          |
| GET HEAD  | api/v1/contacts/{contact} | api.v1.          |
| PUT PATCH | api/v1/contacts/{contact} | api.v1.          |
| DELETE    | api/v1/contacts/{contact} | api.v1.          |
| GET HEAD  | contacts                  | contacts.index   |
| POST      | contacts                  | contacts.store   |
| GET HEAD  | contacts/create           | contacts.create  |
| GET HEAD  | contacts/{contact}        | contacts.show    |
| PUT PATCH | contacts/{contact}        | contacts.update  |
| DELETE    | contacts/{contact}        | contacts.destroy |
| GET HEAD  | contacts/{contact}/edit   | contacts.edit    |

# Controller: Controller

Source: app/Http/Controllers/Controller.php

Controller type: web

Line count: 23

Inferred module:

Methods (0): -

Model dependencies: -

# Controller: DashboardController

Source: app/Http/Controllers/DashboardController.php

Controller type: web

Line count: 90

Inferred module: dashboard

Methods (1): index

Model dependencies: Activity, Company, Contact, Deal, Pipeline, Project, Task

| Method   | URI       | Route name |
|----------|-----------|------------|
| GET HEAD | dashboard | dashboard  |

# Controller: DealController

Source: app/Http/Controllers/DealController.php

Controller type: web

Line count: 346

Inferred module: deals

Methods (9): \_\_construct, index, create, store, show, edit, update, destroy, updateStage

Model dependencies: Company, Contact, Deal, DealStage, Pipeline, User

| Method    | URI                       | Route name         |
|-----------|---------------------------|--------------------|
| GET HEAD  | api/v1/deals              | api.v1.            |
| POST      | api/v1/deals              | api.v1.            |
| GET HEAD  | api/v1/deals/{deal}       | api.v1.            |
| PUT PATCH | api/v1/deals/{deal}       | api.v1.            |
| DELETE    | api/v1/deals/{deal}       | api.v1.            |
| PATCH     | api/v1/deals/{deal}/stage | api.v1.            |
| GET HEAD  | deals                     | deals.index        |
| POST      | deals                     | deals.store        |
| GET HEAD  | deals/create              | deals.create       |
| GET HEAD  | deals/{deal}              | deals.show         |
| PUT PATCH | deals/{deal}              | deals.update       |
| DELETE    | deals/{deal}              | deals.destroy      |
| GET HEAD  | deals/{deal}/edit         | deals.edit         |
| PATCH     | deals/{deal}/stage        | deals.update-stage |

# Controller: DiskController

Source: app/Http/Controllers/DiskController.php

Controller type: web

Line count: 363

Inferred module: disks

Methods (8): index, storeFolder, store, update, destroy, download, inline, preview

Model dependencies: Disk, DiskFolder, User

| Method    | URI                          | Route name          |
|-----------|------------------------------|---------------------|
| GET HEAD  | api/v1/disks                 | api.v1.             |
| POST      | api/v1/disks                 | api.v1.             |
| GET HEAD  | api/v1/disks/{disk}          | api.v1.             |
| PUT PATCH | api/v1/disks/{disk}          | api.v1.             |
| DELETE    | api/v1/disks/{disk}          | api.v1.             |
| GET HEAD  | api/v1/disks/{disk}/download | api.v1.             |
| GET HEAD  | disks                        | disks.index         |
| POST      | disks                        | disks.store         |
| POST      | disks/folders                | disks.folders.store |
| PATCH     | disks/{disk}                 | disks.update        |
| DELETE    | disks/{disk}                 | disks.destroy       |
| GET HEAD  | disks/{disk}/download        | disks.download      |
| GET HEAD  | disks/{disk}/inline          | disks.inline        |
| GET HEAD  | disks/{disk}/preview         | disks.preview       |

# Controller: DiskExplorerController

Source: app/Http/Controllers/DiskExplorerController.php

Controller type: web

Line count: 677

Inferred module: disks

Methods (7): createFolder, deleteFolder, moveFolder, copyFolder, moveFile, copyFile, deleteFile

Model dependencies: Disk, DiskFolder, User

| Method | URI                              | Route name                    |
|--------|----------------------------------|-------------------------------|
| DELETE | disks/explorer/files/{disk}      | disks.explorer.files.delete   |
| POST   | disks/explorer/files/{disk}/copy | disks.explorer.files.copy     |
| PATCH  | disks/explorer/files/{disk}/move | disks.explorer.files.move     |
| POST   | disks/explorer/folders           | disks.explorer.folders.create |
| DELETE | disks/explorer/folders           | disks.explorer.folders.delete |
| POST   | disks/explorer/folders/copy      | disks.explorer.folders.copy   |
| PATCH  | disks/explorer/folders/move      | disks.explorer.folders.move   |

# Controller: FormController

Source: app/Http/Controllers/FormController.php

Controller type: web

Line count: 593

Inferred module: forms

Methods (7): \_\_construct, index, create, store, edit, update, destroy

Model dependencies: DealStage, Pipeline, User, WebForm

| Method    | URI               | Route name    |
|-----------|-------------------|---------------|
| GET HEAD  | forms             | forms.index   |
| POST      | forms             | forms.store   |
| GET HEAD  | forms/create      | forms.create  |
| PUT PATCH | forms/{form}      | forms.update  |
| DELETE    | forms/{form}      | forms.destroy |
| GET HEAD  | forms/{form}/edit | forms.edit    |

# Controller: MessengerController

Source: app/Http/Controllers/MessengerController.php

Controller type: web

Line count: 420

Inferred module: messengers

Methods (6): index, updateSettings, storeChannel, updateChannel, storeConversation, storeMessage

Model dependencies: MessengerChannel, MessengerConversation, MessengerMessage, MessengerSetting, User

| Method   | URI  | Route name                     |
|----------|--|--------------------------------|
| GET HEAD | messengers                                       | messengers.index               |
| POST     | messengers/channels                              | messengers.channels.store      |
| PATCH    | messengers/channels/{channel}                    | messengers.channels.update     |
| POST     | messengers/conversations                         | messengers.conversations.store |
| POST     | messengers/conversations/{conversation}/messages | messengers.messages.store      |
| PATCH    | messengers/settings                              | messengers.settings.update     |

# Controller: MessengerWebhookController

Source: app/Http/Controllers/MessengerWebhookController.php

Controller type: web

Line count: 210

Inferred module: webhooks

Methods (1): handle

Model dependencies: MessengerChannel, MessengerConversation, MessengerMessage, MessengerSetting, User

| Method | URI                     | Route name         |
|--------|-------------------------|--------------------|
| POST   | api/webhooks/messengers | messengers.webhook |

# Controller: ModuleController

Source: app/Http/Controllers/ModuleController.php

Controller type: web

Line count: 77

Inferred module: modules

Methods (4): scaffold, store, update, destroy

Model dependencies: CrmModule

| Method | URI              | Route name       |
|--------|------------------|------------------|
| POST   | modules          | modules.store    |
| POST   | modules/scaffold | modules.scaffold |
| PATCH  | modules/{module} | modules.update   |
| DELETE | modules/{module} | modules.destroy  |

# Controller: NewsController

Source: app/Http/Controllers/NewsController.php

Controller type: web

Line count: 103

Inferred module: news

Methods (2): index, store

Model dependencies: News

| Method   | URI  | Route name |
|----------|------|------------|
| GET HEAD | news | news.index |
| POST     | news | news.store |

# Controller: NotificationController

Source: app/Http/Controllers/NotificationController.php

Controller type: web

Line count: 219

Inferred module: notifications

Methods (2): feed, open

Model dependencies: Activity, Company, Contact, Deal, Task, User, WebForm, WebFormSubmission

| Method   | URI                      | Route name         |
|----------|--------------------------|--------------------|
| GET HEAD | notifications/feed       | notifications.feed |
| GET HEAD | notifications/{key}/open | notifications.open |

# Controller: PipelineController

Source: app/Http/Controllers/PipelineController.php

Controller type: web

Line count: 442

Inferred module: pipelines

Methods (9): \_\_construct, index, create, store, show, edit, update, updateStages, destroy

Model dependencies: Pipeline, User

| Method    | URI                         | Route name              |
|-----------|-----------------------------|-------------------------|
| GET HEAD  | pipelines                   | pipelines.index         |
| POST      | pipelines                   | pipelines.store         |
| GET HEAD  | pipelines/create            | pipelines.create        |
| GET HEAD  | pipelines/{pipeline}        | pipelines.show          |
| PUT PATCH | pipelines/{pipeline}        | pipelines.update        |
| DELETE    | pipelines/{pipeline}        | pipelines.destroy       |
| GET HEAD  | pipelines/{pipeline}/edit   | pipelines.edit          |
| PATCH     | pipelines/{pipeline}/stages | pipelines.update-stages |

# Controller: ProductController

Source: app/Http/Controllers/ProductController.php

Controller type: web

Line count: 155

Inferred module: products

Methods (8): \_\_construct, index, create, store, show, edit, update, destroy

Model dependencies: Company, Product, User

| Method    | URI                       | Route name       |
|-----------|---------------------------|------------------|
| GET HEAD  | api/v1/products           | api.v1.          |
| POST      | api/v1/products           | api.v1.          |
| GET HEAD  | api/v1/products/{product} | api.v1.          |
| PUT PATCH | api/v1/products/{product} | api.v1.          |
| DELETE    | api/v1/products/{product} | api.v1.          |
| GET HEAD  | products                  | products.index   |
| POST      | products                  | products.store   |
| GET HEAD  | products/create           | products.create  |
| GET HEAD  | products/{product}        | products.show    |
| PUT PATCH | products/{product}        | products.update  |
| DELETE    | products/{product}        | products.destroy |
| GET HEAD  | products/{product}/edit   | products.edit    |

# Controller: ProfileAccessController

Source: app/Http/Controllers/ProfileAccessController.php

Controller type: web

Line count: 618

Inferred module: profile

Methods (11): \_\_construct, impersonate, leaveImpersonation, update, storeGroup, updateGroup, destroyGroup, bulkAssignGroup, storeUser, downloadUsersTemplate, importUsers

Model dependencies: AccessGroup, OrganizationCompany, User

| Method   | URI                                 | Route name                        |
|----------|-------------------------------------|-----------------------------------|
| PATCH    | profile/access                      | profile.access.update             |
| POST     | profile/access/groups               | profile.access.groups.store       |
| PATCH    | profile/access/groups/bulk-assign   | profile.access.groups.bulk-assign |
| PATCH    | profile/access/groups/{group}       | profile.access.groups.update      |
| DELETE   | profile/access/groups/{group}       | profile.access.groups.destroy     |
| POST     | profile/access/impersonate/leave    | profile.access.impersonate.leave  |
| POST     | profile/access/impersonate/{member} | profile.access.impersonate        |
| POST     | profile/users                       | profile.users.store               |
| POST     | profile/users/import                | profile.users.import              |
| GET HEAD | profile/users/import-template       | profile.users.template            |

# Controller: ProfileApiTokenController

Source: app/Http/Controllers/ProfileApiTokenController.php

Controller type: web

Line count: 59

Inferred module: profile

Methods (2): store, destroy

Model dependencies: -

| Method | URI                        | Route name                 |
|--------|----------------------------|----------------------------|
| POST   | profile/api-tokens         | profile.api-tokens.store   |
| DELETE | profile/api-tokens/{token} | profile.api-tokens.destroy |

# Controller: ProfileAppearanceController

Source: app/Http/Controllers/ProfileAppearanceController.php

Controller type: web

Line count: 62

Inferred module: profile

Methods (1): update

Model dependencies: -

| Method | URI                | Route name                |
|--------|--------------------|---------------------------|
| PATCH  | profile/appearance | profile.appearance.update |

# Controller: ProfileCompanySettingsController

Source: app/Http/Controllers/ProfileCompanySettingsController.php

Controller type: web

Line count: 183

Inferred module: profile

Methods (1): update

Model dependencies: OrganizationCompany, OrganizationSetting

| Method | URI                      | Route name                      |
|--------|--------------------------|---------------------------------|
| PATCH  | profile/company-settings | profile.company-settings.update |

# Controller: ProfileController

Source: app/Http/Controllers/ProfileController.php

Controller type: web

Line count: 253

Inferred module: profile

Methods (3): edit, update, destroy

Model dependencies: AccessGroup, CrmModule, OrganizationCompany, OrganizationSetting, Theme, User

| Method   | URI     | Route name      |
|----------|---------|-----------------|
| GET HEAD | profile | profile.edit    |
| PATCH    | profile | profile.update  |
| DELETE   | profile | profile.destroy |

# Controller: ProfileMenuController

Source: app/Http/Controllers/ProfileMenuController.php

Controller type: web

Line count: 155

Inferred module: profile

Methods (4): update, storeCustom, updateSidebar, updateRightRail

Model dependencies: UserMenuItem

| Method | URI                  | Route name                |
|--------|----------------------|---------------------------|
| PATCH  | profile/menu         | profile.menu.update       |
| POST   | profile/menu/custom  | profile.menu.custom.store |
| PATCH  | profile/menu/sidebar | profile.menu.sidebar      |
| PATCH  | profile/right-rail   | profile.right-rail        |

# Controller: ProfileThemeController

Source: app/Http/Controllers/ProfileThemeController.php

Controller type: web

Line count: 109

Inferred module: profile

Methods (3): store, activate, destroy

Model dependencies: OrganizationSetting, Theme

| Method | URI                    | Route name              |
|--------|------------------------|-------------------------|
| POST   | profile/themes         | profile.themes.store    |
| PATCH  | profile/themes/{theme} | profile.themes.activate |
| DELETE | profile/themes/{theme} | profile.themes.destroy  |

# Controller: ProfileTwoFactorController

Source: app/Http/Controllers/ProfileTwoFactorController.php

Controller type: web

Line count: 94

Inferred module: profile

Methods (4): setup, confirm, regenerateRecoveryCodes, disable

Model dependencies: -

| Method | URI                               | Route name                        |
|--------|-----------------------------------|-----------------------------------|
| DELETE | profile/two-factor                | profile.two-factor.disable        |
| POST   | profile/two-factor/confirm        | profile.two-factor.confirm        |
| POST   | profile/two-factor/recovery-codes | profile.two-factor.recovery-codes |
| POST   | profile/two-factor/setup          | profile.two-factor.setup          |

# Controller: ProjectController

Source: app/Http/Controllers/ProjectController.php

Controller type: web

Line count: 454

Inferred module: projects

Methods (9): \_\_construct, index, create, store, show, edit, update, destroy, updateTaskStage

Model dependencies: Company, Deal, Project, ProjectStage, Task, User

| Method    | URI  | Route name                  |
|-----------|--|-----------------------------|
| GET HEAD  | api/v1/projects                              | api.v1.                     |
| POST      | api/v1/projects                              | api.v1.                     |
| GET HEAD  | api/v1/projects/{project}                    | api.v1.                     |
| PUT PATCH | api/v1/projects/{project}                    | api.v1.                     |
| DELETE    | api/v1/projects/{project}                    | api.v1.                     |
| PATCH     | api/v1/projects/{project}/tasks/{task}/stage | api.v1.                     |
| GET HEAD  | projects                                     | projects.index              |
| POST      | projects                                     | projects.store              |
| GET HEAD  | projects/create                              | projects.create             |
| GET HEAD  | projects/{project}                           | projects.show               |
| PUT PATCH | projects/{project}                           | projects.update             |
| DELETE    | projects/{project}                           | projects.destroy            |
| GET HEAD  | projects/{project}/edit                      | projects.edit               |
| PATCH     | projects/{project}/tasks/{task}/stage        | projects.tasks.update-stage |

# Controller: PublicFormController

Source: app/Http/Controllers/PublicFormController.php

Controller type: web

Line count: 660

Inferred module: f

Methods (2): show, submit

Model dependencies: Company, Contact, Deal, DealStage, Pipeline, Task, User, WebForm

| Method   | URI      | Route name          |
|----------|----------|---------------------|
| GET HEAD | f/{form} | public-forms.show   |
| POST     | f/{form} | public-forms.submit |

# Controller: ReportController

Source: app/Http/Controllers/ReportController.php

Controller type: web

Line count: 88

Inferred module: reports

Methods (2): \_\_construct, index

Model dependencies: Deal, Project, Task, User

| Method   | URI     | Route name    |
|----------|---------|---------------|
| GET HEAD | reports | reports.index |

# Controller: SectionAccessController

Source: app/Http/Controllers/SectionAccessController.php

Controller type: web

Line count: 35

Inferred module: section-access

Methods (1): update

Model dependencies: User

| Method | URI                     | Route name            |
|--------|-------------------------|-----------------------|
| PATCH  | section-access/{entity} | section-access.update |

# Controller: TaskController

Source: app/Http/Controllers/TaskController.php

Controller type: web

Line count: 671

Inferred module: tasks

Methods (11): \_\_construct, index, updateKanbanPreset, create, store, show, edit, update, destroy, complete, updateStatus

Model dependencies: Company, Contact, Deal, Project, ProjectStage, Task, User

| Method    | URI                          | Route name          |
|-----------|------------------------------|---------------------|
| GET HEAD  | api/v1/tasks                 | api.v1.             |
| POST      | api/v1/tasks                 | api.v1.             |
| GET HEAD  | api/v1/tasks/{task}          | api.v1.             |
| PUT PATCH | api/v1/tasks/{task}          | api.v1.             |
| DELETE    | api/v1/tasks/{task}          | api.v1.             |
| PATCH     | api/v1/tasks/{task}/complete | api.v1.             |
| PATCH     | api/v1/tasks/{task}/status   | api.v1.             |
| GET HEAD  | tasks                        | tasks.index         |
| POST      | tasks                        | tasks.store         |
| GET HEAD  | tasks/create                 | tasks.create        |
| PATCH     | tasks/kanban/preset          | tasks.kanban.preset |
| GET HEAD  | tasks/{task}                 | tasks.show          |
| PUT PATCH | tasks/{task}                 | tasks.update        |
| DELETE    | tasks/{task}                 | tasks.destroy       |
| PATCH     | tasks/{task}/complete        | tasks.complete      |
| GET HEAD  | tasks/{task}/edit            | tasks.edit          |
| PATCH     | tasks/{task}/status          | tasks.update-status |

# Controller: TelephonyController

Source: app/Http/Controllers/TelephonyController.php

Controller type: web

Line count: 224

Inferred module: telephony

Methods (3): index, updateSettings, storeCall

Model dependencies: TelephonyCall, TelephonySetting, User

| Method   | URI                | Route name                |
|----------|--------------------|---------------------------|
| GET HEAD | telephony          | telephony.index           |
| POST     | telephony/calls    | telephony.calls.store     |
| PATCH    | telephony/settings | telephony.settings.update |

# Controller: TelephonyWebhookController

Source: app/Http/Controllers/TelephonyWebhookController.php

Controller type: web

Line count: 121

Inferred module: webhooks

Methods (1): handle

Model dependencies: TelephonyCall, TelephonySetting, User

| Method | URI                    | Route name        |
|--------|------------------------|-------------------|
| POST   | api/webhooks/telephony | telephony.webhook |

# Controller: UserController

Source: app/Http/Controllers/UserController.php

Controller type: web

Line count: 91

Inferred module: users

Methods (1): show

Model dependencies: User

| Method   | URI            | Route name |
|----------|----------------|------------|
| GET HEAD | users/{member} | users.show |

# Controller: WarehouseController

Source: app/Http/Controllers/WarehouseController.php

Controller type: web

Line count: 148

Inferred module: warehouses

Methods (8): \_\_construct, index, create, store, show, edit, update, destroy

Model dependencies: User, Warehouse

| Method    | URI                           | Route name         |
|-----------|-------------------------------|--------------------|
| GET HEAD  | api/v1/warehouses             | api.v1.            |
| POST      | api/v1/warehouses             | api.v1.            |
| GET HEAD  | api/v1/warehouses/{warehouse} | api.v1.            |
| PUT PATCH | api/v1/warehouses/{warehouse} | api.v1.            |
| DELETE    | api/v1/warehouses/{warehouse} | api.v1.            |
| GET HEAD  | warehouses                    | warehouses.index   |
| POST      | warehouses                    | warehouses.store   |
| GET HEAD  | warehouses/create             | warehouses.create  |
| GET HEAD  | warehouses/{warehouse}        | warehouses.show    |
| PUT PATCH | warehouses/{warehouse}        | warehouses.update  |
| DELETE    | warehouses/{warehouse}        | warehouses.destroy |
| GET HEAD  | warehouses/{warehouse}/edit   | warehouses.edit    |

# Policies and Access Surface

Policy classes: 15

RBAC entities: activities, api, calendar, companies, contacts, deals, disks, forms, messengers, pipelines, products, projects, reports, tasks, telephony, warehouses

API token modules: companies, contacts, deals, disks, messengers, products, projects, tasks, telephony, warehouses

| Policy                      | Methods  | Line count | Path   |
|-----------------------------|--|------------|--|
| ActivityPolicy              | viewAny, view, create, update, delete              | 54         | app/Policies/ActivityPolicy.php              |
| CompanyPolicy               | viewAny, view, create, update, delete              | 54         | app/Policies/CompanyPolicy.php               |
| ContactPolicy               | viewAny, view, create, update, delete              | 54         | app/Policies/ContactPolicy.php               |
| DealPolicy                  | viewAny, view, create, update, delete              | 56         | app/Policies/DealPolicy.php                  |
| DiskPolicy                  | viewAny, view, create, update, delete              | 63         | app/Policies/DiskPolicy.php                  |
| MessengerChannelPolicy      | viewAny, view, create, update, delete              | 36         | app/Policies/MessengerChannelPolicy.php      |
| MessengerConversationPolicy | viewAny, view, create, update, delete              | 63         | app/Policies/MessengerConversationPolicy.php |
| MessengerMessagePolicy      | viewAny, view, create, update, delete              | 69         | app/Policies/MessengerMessagePolicy.php      |
| PipelinePolicy              | viewAny, view, create, update, delete              | 36         | app/Policies/PipelinePolicy.php              |
| ProductPolicy               | viewAny, view, create, update, delete              | 54         | app/Policies/ProductPolicy.php               |
| ProjectPolicy               | viewAny, view, create, update, delete, manageTasks | 83         | app/Policies/ProjectPolicy.php               |
| TaskPolicy                  | viewAny, view, create, update, complete, delete    | 86         | app/Policies/TaskPolicy.php                  |
| TelephonyCallPolicy         | viewAny, view, create, update, delete              | 63         | app/Policies/TelephonyCallPolicy.php         |
| WarehousePolicy             | viewAny, view, create, update, delete              | 55         | app/Policies/WarehousePolicy.php             |
| WebFormPolicy               | viewAny, view, create, update, delete              | 63         | app/Policies/WebFormPolicy.php               |

# Migrations and Schema Evolution

| Timestamp           | Migration  | Creates                                | Alters   | Path   |
|---------------------|--|--|--|--|
| 0001-01-01 00:00:00 | 0001_01_01_000000_create_users_table                                 | users, password_reset_tokens, sessions |  | database/migrations/0001_01_01_000000_create_users_table.php                                 |
| 0001-01-01 00:00:01 | 0001_01_01_000001_create_cache_table                                 | cache, cache_locks                     | -  | database/migrations/0001_01_01_000001_create_cache_table.php                                 |
| 0001-01-01 00:00:02 | 0001_01_01_000002_create_jobs_table                                  | jobs, job_batches, failed_jobs         |  | database/migrations/0001_01_01_000002_create_jobs_table.php                                  |
| 2026-02-27 03:31:06 | 2026_02_27_033106_create_companies_table                             | companies                              | -  | database/migrations/2026_02_27_033106_create_companies_table.php                             |
| 2026-02-27 03:31:06 | 2026_02_27_033106_create_contacts_table                              | contacts                               | -  | database/migrations/2026_02_27_033106_create_contacts_table.php                              |
| 2026-02-27 03:31:06 | 2026_02_27_033106_create_deal_stages_table                           | deal_stages                            | -  | database/migrations/2026_02_27_033106_create_deal_stages_table.php                           |
| 2026-02-27 03:31:06 | 2026_02_27_033106_create_deals_table                                 | deals                                  | -  | database/migrations/2026_02_27_033106_create_deals_table.php                                 |
| 2026-02-27 03:31:06 | 2026_02_27_033106_create_pipelines_table                             | pipelines                              | -  | database/migrations/2026_02_27_033106_create_pipelines_table.php                             |
| 2026-02-27 03:31:06 | 2026_02_27_033106_create_tasks_table                                 | tasks                                  | -  | database/migrations/2026_02_27_033106_create_tasks_table.php                                 |
| 2026-02-27 03:31:07 | 2026_02_27_033107_create_activities_table                            | activities                             | -  | database/migrations/2026_02_27_033107_create_activities_table.php                            |
| 2026-02-27 03:50:13 | 2026_02_27_035013_create_projects_table                              | projects                               | -  | database/migrations/2026_02_27_035013_create_projects_table.php                              |
| 2026-02-27 03:50:14 | 2026_02_27_035014_create_project_stages_table                        | project_stages                         | -  | database/migrations/2026_02_27_035014_create_project_stages_table.php                        |
| 2026-02-27 03:50:18 | 2026_02_27_035018_add_project_fields_to_tasks_table                  |  | tasks, tasks                                       | database/migrations/2026_02_27_035018_add_project_fields_to_tasks_table.php                  |
| 2026-02-27 03:50:18 | 2026_02_27_035018_create_project_user_table                          | project_user                           | -  | database/migrations/2026_02_27_035018_create_project_user_table.php                          |
| 2026-02-27 04:57:25 | 2026_02_27_045725_create_personal_access_tokens_table                | personal_access_tokens                 | -  | database/migrations/2026_02_27_045725_create_personal_access_tokens_table.php                |
| 2026-02-27 05:41:18 | 2026_02_27_054118_add_parent_and_starts_at_to_tasks_table            |  | tasks, tasks                                       | database/migrations/2026_02_27_054118_add_parent_and_starts_at_to_tasks_table.php            |
| 2026-02-27 06:56:30 | 2026_02_27_065630_add_two_factor_columns_to_users_table              |  | users, users                                       | database/migrations/2026_02_27_065630_add_two_factor_columns_to_users_table.php              |
| 2026-02-27 07:06:25 | 2026_02_27_070625_add_task_kanban_preset_to_users_table              |  | users, users                                       | database/migrations/2026_02_27_070625_add_task_kanban_preset_to_users_table.php              |
| 2026-02-27 07:17:34 | 2026_02_27_071734_add_open_in_new_tab_to_user_menu_items_table       |  | user_menu_items, user_menu_items                   | database/migrations/2026_02_27_071734_add_open_in_new_tab_to_user_menu_items_table.php       |
| 2026-02-27 12:00:00 | 2026_02_27_120000_add_locale_to_users_table                          | -                                      | users, users                                       | database/migrations/2026_02_27_120000_add_locale_to_users_table.php                          |
| 2026-02-27 13:00:00 | 2026_02_27_130000_create_user_menu_items_table                       | user_menu_items                        | users, users                                       | database/migrations/2026_02_27_130000_create_user_menu_items_table.php                       |
| 2026-02-27 16:05:00 | 2026_02_27_160500_add_color_to_deal_stages_table                     |  | deal_stages, deal_stages                           | database/migrations/2026_02_27_160500_add_color_to_deal_stages_table.php                     |
| 2026-02-27 16:05:00 | 2026_02_27_160500_add_profile_icon_to_users_table                    |  | users, users                                       | database/migrations/2026_02_27_160500_add_profile_icon_to_users_table.php                    |
| 2026-02-27 16:15:00 | 2026_02_27_161500_add_profile_photo_to_users_table                   |  | users, users                                       | database/migrations/2026_02_27_161500_add_profile_photo_to_users_table.php                   |
| 2026-02-27 16:25:00 | 2026_02_27_162500_drop_profile_icon_from_users_table                 |  | users, users                                       | database/migrations/2026_02_27_162500_drop_profile_icon_from_users_table.php                 |
| 2026-02-27 17:35:00 | 2026_02_27_173500_create_chat_messages_table                         | chat_messages                          | -  | database/migrations/2026_02_27_173500_create_chat_messages_table.php                         |
| 2026-02-27 18:15:00 | 2026_02_27_181500_add_right_rail_viewed_notifications_to_users_table |  | users, users                                       | database/migrations/2026_02_27_181500_add_right_rail_viewed_notifications_to_users_table.php |
| 2026-02-27 19:30:00 | 2026_02_27_193000_add_profile_fields_to_users_table                  |  | users, users                                       | database/migrations/2026_02_27_193000_add_profile_fields_to_users_table.php                  |
| 2026-02-27 19:45:00 | 2026_02_27_194500_add_permissions_to_users_table                     |  | users, users                                       | database/migrations/2026_02_27_194500_add_permissions_to_users_table.php                     |
| 2026-02-27 21:05:00 | 2026_02_27_210500_create_news_table                                  | news                                   | -  | database/migrations/2026_02_27_210500_create_news_table.php                                  |
| 2026-02-27 22:06:00 | 2026_02_27_220600_add_preferred_views_to_users_table                 |  | users, users                                       | database/migrations/2026_02_27_220600_add_preferred_views_to_users_table.php                 |
| 2026-02-27 22:15:00 | 2026_02_27_221500_create_web_forms_table                             | web_forms                              | -  | database/migrations/2026_02_27_221500_create_web_forms_table.php                             |
| 2026-02-27 22:15:10 | 2026_02_27_221510_create_web_form_submissions_table                  | web_form_submissions                   | -  | database/migrations/2026_02_27_221510_create_web_form_submissions_table.php                  |
| 2026-02-27 22:30:00 | 2026_02_27_223000_create_crm_modules_table                           | crm_modules                            | -  | database/migrations/2026_02_27_223000_create_crm_modules_table.php                           |
| 2026-02-27 23:40:00 | 2026_02_27_234000_create_disks_table                                 | disks                                  | -  | database/migrations/2026_02_27_234000_create_disks_table.php                                 |
| 2026-02-28 00:00:00 | 2026_02_28_000000_create_organization_companies_table                | organization_companies                 | organization_settings, user_permissions, companies | database/migrations/2026_02_28_000000_create_organization_companies_table.php                |
| 2026-02-28 00:10:00 | 2026_02_28_001000_add_creator_id_to_pipelines_table                  |  | pipelines, pipelines                               | database/migrations/2026_02_28_001000_add_creator_id_to_pipelines_table.php                  |
| 2026-02-28 02:00:00 | 2026_02_28_020000_create_disk_folders_table                          | disk_folders                           | -  | database/migrations/2026_02_28_020000_create_disk_folders_table.php                          |
| 2026-02-28 03:00:00 | 2026_02_28_030000_add_disk_id_to_chat_messages_table                 |  | chat_messages, chat_messages                       | database/migrations/2026_02_28_030000_add_disk_id_to_chat_messages_table.php                 |

| Timestamp           | Migration   | Creates                                 | Alters   | Path  |
|---------------------|---|---|--|---|
| 2026-02-28 07:00:00 | 2026_02_28_070000_add_avatar_to_companies_and_contacts_tables   | companies, contacts, companies_contacts | companies, contacts, companies_contacts        | database/migrations/2026_02_28_070000_add_avatar_to_companies_and_contacts_tables   |
| 2026-02-28 08:00:00 | 2026_02_28_080000_create_products_table                         | products                                | -  | database/migrations/2026_02_28_080000_create_products_table                         |
| 2026-02-28 09:00:00 | 2026_02_28_090000_create_warehouses_table                       | warehouses                              | -  | database/migrations/2026_02_28_090000_create_warehouses_table                       |
| 2026-02-28 10:00:00 | 2026_02_28_100000_create_access_groups_table                    | access_groups                           | users, users                                   | database/migrations/2026_02_28_100000_create_access_groups_table                    |
| 2026-02-28 12:00:00 | 2026_02_28_120000_add_parent_id_to_organization_companies_table | organization_companies                  | organization_companies, organization_companies | database/migrations/2026_02_28_120000_add_parent_id_to_organization_companies_table |
| 2026-02-28 13:00:00 | 2026_02_28_130000_add_right_rail_collapsed_to_users_table       | users                                   | users, users                                   | database/migrations/2026_02_28_130000_add_right_rail_collapsed_to_users_table       |
| 2026-02-28 14:00:00 | 2026_02_28_140000_create_themes_table                           | themes                                  | -  | database/migrations/2026_02_28_140000_create_themes_table                           |
| 2026-02-28 14:10:00 | 2026_02_28_141000_add_theme_id_to_organization_settings_table   | organization_settings                   | organization_settings, organization_settings   | database/migrations/2026_02_28_141000_add_theme_id_to_organization_settings_table   |
| 2026-02-28 15:00:00 | 2026_02_28_150000_add_personal_appearance_to_users_table        | users                                   | users, users                                   | database/migrations/2026_02_28_150000_add_personal_appearance_to_users_table        |
| 2026-02-28 16:00:00 | 2026_02_28_160000_add_style_settings_to_web_forms_table         | web_forms                               | web_forms, web_forms                           | database/migrations/2026_02_28_160000_add_style_settings_to_web_forms_table         |
| 2026-02-28 17:00:00 | 2026_02_28_170000_add_preview_path_to_news_table                | news                                    | news, news                                     | database/migrations/2026_02_28_170000_add_preview_path_to_news_table                |
| 2026-02-28 19:00:00 | 2026_02_28_190000_create_news_views_table                       | news_views                              | -  | database/migrations/2026_02_28_190000_create_news_views_table                       |
| 2026-02-28 20:00:00 | 2026_02_28_200000_create_telephony_settings_table               | telephony_settings                      | -  | database/migrations/2026_02_28_200000_create_telephony_settings_table               |
| 2026-02-28 20:10:00 | 2026_02_28_201000_create_telephony_calls_table                  | telephony_calls                         | -  | database/migrations/2026_02_28_201000_create_telephony_calls_table                  |
| 2026-02-28 20:20:00 | 2026_02_28_202000_create_messenger_settings_table               | messenger_settings                      | -  | database/migrations/2026_02_28_202000_create_messenger_settings_table               |
| 2026-02-28 20:30:00 | 2026_02_28_203000_create_messenger_channels_table               | messenger_channels                      | -  | database/migrations/2026_02_28_203000_create_messenger_channels_table               |
| 2026-02-28 20:40:00 | 2026_02_28_204000_create_messenger_conversations_table          | messenger_conversations                 | -  | database/migrations/2026_02_28_204000_create_messenger_conversations_table          |
| 2026-02-28 20:50:00 | 2026_02_28_205000_create_messenger_messages_table               | messenger_messages                      | -  | database/migrations/2026_02_28_205000_create_messenger_messages_table               |

# Support Layer and View Surface

## Support classes (line count):

| Support class            | Lines |
|--------------------------|-------|
| AccessControl            | 318   |
| ApiTokenPermissionMatrix | 128   |
| BrandingManager          | 115   |
| CrmModuleManager         | 519   |
| DiskFileIconResolver     | 169   |
| DiskFileManager          | 301   |
| DiskPreviewBuilder       | 966   |
| FormStyleManager         | 206   |
| MenuManager              | 466   |
| ProfileAvatarManager     | 65    |
| RightRailManager         | 35    |
| SectionAccessManager     | 78    |
| ThemeManager             | 158   |
| TwoFactorAuthenticator   | 149   |
| UserStartPage            | 66    |

## View sections (blade file count):

| View section | Templates |
|--------------|-----------|
| components   | 15        |
| profile      | 15        |
| auth         | 7         |
| tasks        | 6         |
| warehouses   | 5         |
| products     | 5         |
| forms        | 5         |
| projects     | 5         |
| contacts     | 5         |
| deals        | 5         |
| layouts      | 5         |
| activities   | 5         |
| companies    | 5         |
| sidepanel    | 5         |
| pipelines    | 3         |
| _root        | 2         |
| docs         | 2         |
| disks        | 2         |
| chats        | 2         |

| View section | Templates |
|--------------|-----------|
| partials     | 2         |
| calendar     | 1         |
| telephony    | 1         |
| news         | 1         |
| users        | 1         |
| messengers   | 1         |
| reports      | 1         |

# Appendix: Route Catalog by Module

## Routes | activities

| Method    | URI                        | Name               | Action  |
|-----------|----------------------------|--------------------|---|
| GET HEAD  | activities                 | activities.index   | App\Http\Controllers\ActivityController@index   |
| POST      | activities                 | activities.store   | App\Http\Controllers\ActivityController@store   |
| GET HEAD  | activities/create          | activities.create  | App\Http\Controllers\ActivityController@create  |
| GET HEAD  | activities/{activity}      | activities.show    | App\Http\Controllers\ActivityController@show    |
| PUT PATCH | activities/{activity}      | activities.update  | App\Http\Controllers\ActivityController@update  |
| DELETE    | activities/{activity}      | activities.destroy | App\Http\Controllers\ActivityController@destroy |
| GET HEAD  | activities/{activity}/edit | activities.edit    | App\Http\Controllers\ActivityController@edit    |

## Routes | auth

| Method   | URI                | Name    | Action   |
|----------|--------------------|---------|--|
| POST     | api/v1/auth/login  | api.v1. | App\Http\Controllers\Api\AuthController@login  |
| POST     | api/v1/auth/logout | api.v1. | App\Http\Controllers\Api\AuthController@logout |
| GET HEAD | api/v1/auth/me     | api.v1. | App\Http\Controllers\Api\AuthController@me     |

Routes | broadcasting

| Method        | URI               | Name | Action   |
|---------------|-------------------|------|--|
| GET POST HEAD | broadcasting/auth | -    | Illuminate\Broadcasting\BroadcastController@authenticate |

## Routes | calendar

| Method   | URI                          | Name                  | Action   |
|----------|------------------------------|-----------------------|--|
| GET HEAD | calendar                     | calendar.index        | App\Http\Controllers\CalendarController@index            |
| GET HEAD | calendar/events              | calendar.events       | App\Http\Controllers\CalendarController@events           |
| PATCH    | calendar/tasks/{task}/timing | calendar.tasks.timing | App\Http\Controllers\CalendarController@updateTaskTiming |

## Routes | chat

| Method   | URI                         | Name                     | Action  |
|----------|-----------------------------|--------------------------|---|
| GET HEAD | chat/conversations/{member} | chat.conversations.show  | App\Http\Controllers\ChatConversationController@show    |
| POST     | chat/conversations/{member} | chat.conversations.store | App\Http\Controllers\ChatConversationController@store   |
| GET HEAD | chat/sidebar/{member}       | chat.sidebar             | App\Http\Controllers\ChatConversationController@sidebar |

## Routes | companies

| Method    | URI                        | Name              | Action   |
|-----------|----------------------------|-------------------|--|
| GET HEAD  | api/v1/companies           | api.v1.           | App\Http\Controllers\Api\CompanyController@index   |
| POST      | api/v1/companies           | api.v1.           | App\Http\Controllers\Api\CompanyController@store   |
| GET HEAD  | api/v1/companies/{company} | api.v1.           | App\Http\Controllers\Api\CompanyController@show    |
| PUT PATCH | api/v1/companies/{company} | api.v1.           | App\Http\Controllers\Api\CompanyController@update  |
| DELETE    | api/v1/companies/{company} | api.v1.           | App\Http\Controllers\Api\CompanyController@destroy |
| GET HEAD  | companies                  | companies.index   | App\Http\Controllers\CompanyController@index       |
| POST      | companies                  | companies.store   | App\Http\Controllers\CompanyController@store       |
| GET HEAD  | companies/create           | companies.create  | App\Http\Controllers\CompanyController@create      |
| GET HEAD  | companies/{company}        | companies.show    | App\Http\Controllers\CompanyController@show        |
| PUT PATCH | companies/{company}        | companies.update  | App\Http\Controllers\CompanyController@update      |
| DELETE    | companies/{company}        | companies.destroy | App\Http\Controllers\CompanyController@destroy     |
| GET HEAD  | companies/{company}/edit   | companies.edit    | App\Http\Controllers\CompanyController@edit        |

Routes | confirm-password

| Method   | URI              | Name             | Action   |
|----------|------------------|------------------|--|
| GET HEAD | confirm-password | password.confirm | App\Http\Controllers\Auth\ConfirmablePasswordController@ |
| POST     | confirm-password | -                | App\Http\Controllers\Auth\ConfirmablePasswordController@ |

## Routes | contacts

| Method    | URI                       | Name             | Action   |
|-----------|---------------------------|------------------|--|
| GET HEAD  | api/v1/contacts           | api.v1.          | App\Http\Controllers\Api\ContactController@index   |
| POST      | api/v1/contacts           | api.v1.          | App\Http\Controllers\Api\ContactController@store   |
| GET HEAD  | api/v1/contacts/{contact} | api.v1.          | App\Http\Controllers\Api\ContactController@show    |
| PUT PATCH | api/v1/contacts/{contact} | api.v1.          | App\Http\Controllers\Api\ContactController@update  |
| DELETE    | api/v1/contacts/{contact} | api.v1.          | App\Http\Controllers\Api\ContactController@destroy |
| GET HEAD  | contacts                  | contacts.index   | App\Http\Controllers>ContactController@index       |
| POST      | contacts                  | contacts.store   | App\Http\Controllers>ContactController@store       |
| GET HEAD  | contacts/create           | contacts.create  | App\Http\Controllers>ContactController@create      |
| GET HEAD  | contacts/{contact}        | contacts.show    | App\Http\Controllers>ContactController@show        |
| PUT PATCH | contacts/{contact}        | contacts.update  | App\Http\Controllers>ContactController@update      |
| DELETE    | contacts/{contact}        | contacts.destroy | App\Http\Controllers>ContactController@destroy     |
| GET HEAD  | contacts/{contact}/edit   | contacts.edit    | App\Http\Controllers>ContactController@edit        |

## Routes | dashboard

| Method   | URI       | Name      | Action   |
|----------|-----------|-----------|--|
| GET HEAD | /         | -         | Closure  |
| GET HEAD | dashboard | dashboard | App\Http\Controllers\DashboardController@index |

## Routes | deals

| Method    | URI                       | Name               | Action  |
|-----------|---------------------------|--------------------|---|
| GET HEAD  | api/v1/deals              | api.v1.            | App\Http\Controllers\Api\DealController@index       |
| POST      | api/v1/deals              | api.v1.            | App\Http\Controllers\Api\DealController@store       |
| GET HEAD  | api/v1/deals/{deal}       | api.v1.            | App\Http\Controllers\Api\DealController@show        |
| PUT PATCH | api/v1/deals/{deal}       | api.v1.            | App\Http\Controllers\Api\DealController@update      |
| DELETE    | api/v1/deals/{deal}       | api.v1.            | App\Http\Controllers\Api\DealController@destroy     |
| PATCH     | api/v1/deals/{deal}/stage | api.v1.            | App\Http\Controllers\Api\DealController@updateStage |
| GET HEAD  | deals                     | deals.index        | App\Http\Controllers\DealController@index           |
| POST      | deals                     | deals.store        | App\Http\Controllers\DealController@store           |
| GET HEAD  | deals/create              | deals.create       | App\Http\Controllers\DealController@create          |
| GET HEAD  | deals/{deal}              | deals.show         | App\Http\Controllers\DealController@show            |
| PUT PATCH | deals/{deal}              | deals.update       | App\Http\Controllers\DealController@update          |
| DELETE    | deals/{deal}              | deals.destroy      | App\Http\Controllers\DealController@destroy         |
| GET HEAD  | deals/{deal}/edit         | deals.edit         | App\Http\Controllers\DealController@edit            |
| PATCH     | deals/{deal}/stage        | deals.update-stage | App\Http\Controllers\DealController@updateStage     |

## Routes | disks

| Method    | URI                              | Name                          | Action   |
|-----------|----------------------------------|-------------------------------|--|
| GET HEAD  | api/v1/disks                     | api.v1.                       | App\Http\Controllers\Api\DiskController@index            |
| POST      | api/v1/disks                     | api.v1.                       | App\Http\Controllers\Api\DiskController@store            |
| GET HEAD  | api/v1/disks/{disk}              | api.v1.                       | App\Http\Controllers\Api\DiskController@show             |
| PUT PATCH | api/v1/disks/{disk}              | api.v1.                       | App\Http\Controllers\Api\DiskController@update           |
| DELETE    | api/v1/disks/{disk}              | api.v1.                       | App\Http\Controllers\Api\DiskController@destroy          |
| GET HEAD  | api/v1/disks/{disk}/download     | api.v1.                       | App\Http\Controllers\Api\DiskController@download         |
| GET HEAD  | disks                            | disks.index                   | App\Http\Controllers\DiskController@index                |
| POST      | disks                            | disks.store                   | App\Http\Controllers\DiskController@store                |
| DELETE    | disks/explorer/files/{disk}      | disks.explorer.files.delete   | App\Http\Controllers\DiskExplorerController@deleteFile   |
| POST      | disks/explorer/files/{disk}/copy | disks.explorer.files.copy     | App\Http\Controllers\DiskExplorerController@copyFile     |
| PATCH     | disks/explorer/files/{disk}/move | disks.explorer.files.move     | App\Http\Controllers\DiskExplorerController@moveFile     |
| POST      | disks/explorer/folders           | disks.explorer.folders.create | App\Http\Controllers\DiskExplorerController@createFolder |
| DELETE    | disks/explorer/folders           | disks.explorer.folders.delete | App\Http\Controllers\DiskExplorerController@deleteFolder |
| POST      | disks/explorer/folders/copy      | disks.explorer.folders.copy   | App\Http\Controllers\DiskExplorerController@copyFolder   |
| PATCH     | disks/explorer/folders/move      | disks.explorer.folders.move   | App\Http\Controllers\DiskExplorerController@moveFolder   |
| POST      | disks/folders                    | disks.folders.store           | App\Http\Controllers\DiskController@storeFolder          |
| PATCH     | disks/{disk}                     | disks.update                  | App\Http\Controllers\DiskController@update               |
| DELETE    | disks/{disk}                     | disks.destroy                 | App\Http\Controllers\DiskController@destroy              |
| GET HEAD  | disks/{disk}/download            | disks.download                | App\Http\Controllers\DiskController@download             |
| GET HEAD  | disks/{disk}/inline              | disks.inline                  | App\Http\Controllers\DiskController@inline               |
| GET HEAD  | disks/{disk}/preview             | disks.preview                 | App\Http\Controllers\DiskController@preview              |

## Routes | docs

| Method   | URI             | Name              | Action  |
|----------|-----------------|-------------------|---------|
| GET HEAD | docs/api        | docs.api.page     | Closure |
| GET HEAD | docs/api.md     | docs.api          | Closure |
| GET HEAD | docs/modules    | docs.modules.page | Closure |
| GET HEAD | docs/modules.md | docs.modules      | Closure |

## Routes | email

| Method | URI                             | Name              | Action   |
|--------|---------------------------------|-------------------|--|
| POST   | email/verification-notification | verification.send | App\Http\Controllers\Auth\EmailVerificationNotificationC |

## Routes | f

| Method   | URI      | Name                | Action   |
|----------|----------|---------------------|--|
| GET HEAD | f/{form} | public-forms.show   | App\Http\Controllers\PublicFormController@show   |
| POST     | f/{form} | public-forms.submit | App\Http\Controllers\PublicFormController@submit |

## Routes | forgot-password

| Method   | URI             | Name             | Action   |
|----------|-----------------|------------------|--|
| GET HEAD | forgot-password | password.request | App\Http\Controllers\Auth\PasswordResetLinkController@cr |
| POST     | forgot-password | password.email   | App\Http\Controllers\Auth\PasswordResetLinkController@st |

## Routes | forms

| Method    | URI               | Name          | Action                                      |
|-----------|-------------------|---------------|---|
| GET HEAD  | forms             | forms.index   | App\Http\Controllers\FormController@index   |
| POST      | forms             | forms.store   | App\Http\Controllers\FormController@store   |
| GET HEAD  | forms/create      | forms.create  | App\Http\Controllers\FormController@create  |
| PUT PATCH | forms/{form}      | forms.update  | App\Http\Controllers\FormController@update  |
| DELETE    | forms/{form}      | forms.destroy | App\Http\Controllers\FormController@destroy |
| GET HEAD  | forms/{form}/edit | forms.edit    | App\Http\Controllers\FormController@edit    |

## Routes | login

| Method   | URI   | Name  | Action   |
|----------|-------|-------|--|
| GET HEAD | login | login | App\Http\Controllers\Auth\AuthenticatedSessionController |
| POST     | login | -     | App\Http\Controllers\Auth\AuthenticatedSessionController |

Routes | logout

| Method | URI    | Name   | Action   |
|--------|--------|--------|--|
| POST   | logout | logout | App\Http\Controllers\Auth\AuthenticatedSessionController |

## Routes | messengers

| Method    | URI   | Name                           | Action  |
|-----------|---|--------------------------------|---|
| GET HEAD  | api/v1/messengers/channels                              | api.v1.                        | App\Http\Controllers\Api\MessengerChannelController@index   |
| POST      | api/v1/messengers/channels                              | api.v1.                        | App\Http\Controllers\Api\MessengerChannelController@store   |
| GET HEAD  | api/v1/messengers/channels/{channel}                    | api.v1.                        | App\Http\Controllers\Api\MessengerChannelController@show    |
| PUT PATCH | api/v1/messengers/channels/{channel}                    | api.v1.                        | App\Http\Controllers\Api\MessengerChannelController@update  |
| DELETE    | api/v1/messengers/channels/{channel}                    | api.v1.                        | App\Http\Controllers\Api\MessengerChannelController@destroy |
| GET HEAD  | api/v1/messengers/conversations                         | api.v1.                        | App\Http\Controllers\Api\MessengerConversationController    |
| POST      | api/v1/messengers/conversations                         | api.v1.                        | App\Http\Controllers\Api\MessengerConversationController    |
| GET HEAD  | api/v1/messengers/conversations/{conversation}          | api.v1.                        | App\Http\Controllers\Api\MessengerConversationController    |
| PUT PATCH | api/v1/messengers/conversations/{conversation}          | api.v1.                        | App\Http\Controllers\Api\MessengerConversationController    |
| DELETE    | api/v1/messengers/conversations/{conversation}          | api.v1.                        | App\Http\Controllers\Api\MessengerConversationController    |
| GET HEAD  | api/v1/messengers/conversations/{conversation}/messages | api.v1.                        | App\Http\Controllers\Api\MessengerMessageController@index   |
| POST      | api/v1/messengers/conversations/{conversation}/messages | api.v1.                        | App\Http\Controllers\Api\MessengerMessageController@store   |
| GET HEAD  | api/v1/messengers/messages/{message}                    | api.v1.                        | App\Http\Controllers\Api\MessengerMessageController@show    |
| PUT PATCH | api/v1/messengers/messages/{message}                    | api.v1.                        | App\Http\Controllers\Api\MessengerMessageController@update  |
| DELETE    | api/v1/messengers/messages/{message}                    | api.v1.                        | App\Http\Controllers\Api\MessengerMessageController@destroy |
| GET HEAD  | api/v1/messengers/settings                              | api.v1.                        | App\Http\Controllers\Api\MessengerSettingsController@show   |
| PUT PATCH | api/v1/messengers/settings                              | api.v1.                        | App\Http\Controllers\Api\MessengerSettingsController@update |
| GET HEAD  | messengers  | messengers.index               | App\Http\Controllers\MessengerController@index              |
| POST      | messengers/channels                                     | messengers.channels.store      | App\Http\Controllers\MessengerController@storeChannel       |
| PATCH     | messengers/channels/{channel}                           | messengers.channels.update     | App\Http\Controllers\MessengerController@updateChannel      |
| POST      | messengers/conversations                                | messengers.conversations.store | App\Http\Controllers\MessengerController@storeConversation  |
| POST      | messengers/conversations/{conversation}/messages        | messengers.messages.store      | App\Http\Controllers\MessengerController@storeMessage       |
| PATCH     | messengers/settings                                     | messengers.settings.update     | App\Http\Controllers\MessengerController@updateSettings     |

## Routes | modules

| Method | URI              | Name             | Action   |
|--------|------------------|------------------|--|
| POST   | modules          | modules.store    | App\Http\Controllers\ModuleController@store    |
| POST   | modules/scaffold | modules.scaffold | App\Http\Controllers\ModuleController@scaffold |
| PATCH  | modules/{module} | modules.update   | App\Http\Controllers\ModuleController@update   |
| DELETE | modules/{module} | modules.destroy  | App\Http\Controllers\ModuleController@destroy  |

## Routes | news

| Method   | URI  | Name       | Action                                    |
|----------|------|------------|---|
| GET HEAD | news | news.index | App\Http\Controllers\NewsController@index |
| POST     | news | news.store | App\Http\Controllers\NewsController@store |

## Routes | notifications

| Method   | URI                      | Name               | Action   |
|----------|--------------------------|--------------------|--|
| GET HEAD | notifications/feed       | notifications.feed | App\Http\Controllers\NotificationController@feed |
| GET HEAD | notifications/{key}/open | notifications.open | App\Http\Controllers\NotificationController@open |

## Routes | password

| Method | URI      | Name            | Action  |
|--------|----------|-----------------|---|
| PUT    | password | password.update | App\Http\Controllers\Auth\PasswordController@update |

## Routes | pipelines

| Method    | URI                         | Name                    | Action   |
|-----------|-----------------------------|-------------------------|--|
| GET HEAD  | pipelines                   | pipelines.index         | App\Http\Controllers\PipelineController@index        |
| POST      | pipelines                   | pipelines.store         | App\Http\Controllers\PipelineController@store        |
| GET HEAD  | pipelines/create            | pipelines.create        | App\Http\Controllers\PipelineController@create       |
| GET HEAD  | pipelines/{pipeline}        | pipelines.show          | App\Http\Controllers\PipelineController@show         |
| PUT PATCH | pipelines/{pipeline}        | pipelines.update        | App\Http\Controllers\PipelineController@update       |
| DELETE    | pipelines/{pipeline}        | pipelines.destroy       | App\Http\Controllers\PipelineController@destroy      |
| GET HEAD  | pipelines/{pipeline}/edit   | pipelines.edit          | App\Http\Controllers\PipelineController@edit         |
| PATCH     | pipelines/{pipeline}/stages | pipelines.update-stages | App\Http\Controllers\PipelineController@updateStages |

## Routes | products

| Method    | URI                       | Name             | Action   |
|-----------|---------------------------|------------------|--|
| GET HEAD  | api/v1/products           | api.v1.          | App\Http\Controllers\Api\ProductController@index   |
| POST      | api/v1/products           | api.v1.          | App\Http\Controllers\Api\ProductController@store   |
| GET HEAD  | api/v1/products/{product} | api.v1.          | App\Http\Controllers\Api\ProductController@show    |
| PUT PATCH | api/v1/products/{product} | api.v1.          | App\Http\Controllers\Api\ProductController@update  |
| DELETE    | api/v1/products/{product} | api.v1.          | App\Http\Controllers\Api\ProductController@destroy |
| GET HEAD  | products                  | products.index   | App\Http\Controllers\ProductController@index       |
| POST      | products                  | products.store   | App\Http\Controllers\ProductController@store       |
| GET HEAD  | products/create           | products.create  | App\Http\Controllers\ProductController@create      |
| GET HEAD  | products/{product}        | products.show    | App\Http\Controllers\ProductController@show        |
| PUT PATCH | products/{product}        | products.update  | App\Http\Controllers\ProductController@update      |
| DELETE    | products/{product}        | products.destroy | App\Http\Controllers\ProductController@destroy     |
| GET HEAD  | products/{product}/edit   | products.edit    | App\Http\Controllers\ProductController@edit        |

## Routes | profile

| Method   | URI                                 | Name                              | Action   |
|----------|-------------------------------------|-----------------------------------|--|
| GET HEAD | profile                             | profile.edit                      | App\Http\Controllers\ProfileController@edit              |
| PATCH    | profile                             | profile.update                    | App\Http\Controllers\ProfileController@update            |
| DELETE   | profile                             | profile.destroy                   | App\Http\Controllers\ProfileController@destroy           |
| PATCH    | profile/access                      | profile.access.update             | App\Http\Controllers\ProfileAccessController@update      |
| POST     | profile/access/groups               | profile.access.groups.store       | App\Http\Controllers\ProfileAccessController@storeGroup  |
| PATCH    | profile/access/groups/bulk-assign   | profile.access.groups.bulk-assign | App\Http\Controllers\ProfileAccessController@bulkAssignG |
| PATCH    | profile/access/groups/{group}       | profile.access.groups.update      | App\Http\Controllers\ProfileAccessController@updateGroup |
| DELETE   | profile/access/groups/{group}       | profile.access.groups.destroy     | App\Http\Controllers\ProfileAccessController@destroyGrou |
| POST     | profile/access/impersonate/leave    | profile.access.impersonate.leave  | App\Http\Controllers\ProfileAccessController@leaveImpers |
| POST     | profile/access/impersonate/{member} | profile.access.impersonate        | App\Http\Controllers\ProfileAccessController@impersonate |
| POST     | profile/api-tokens                  | profile.api-tokens.store          | App\Http\Controllers\ProfileApiTokenController@store     |
| DELETE   | profile/api-tokens/{token}          | profile.api-tokens.destroy        | App\Http\Controllers\ProfileApiTokenController@destroy   |
| PATCH    | profile/appearance                  | profile.appearance.update         | App\Http\Controllers\ProfileAppearanceController@update  |
| PATCH    | profile/company-settings            | profile.company-settings.update   | App\Http\Controllers\ProfileCompanySettingsController@up |
| PATCH    | profile/menu                        | profile.menu.update               | App\Http\Controllers\ProfileMenuController@update        |
| POST     | profile/menu/custom                 | profile.menu.custom.store         | App\Http\Controllers\ProfileMenuController@storeCustom   |
| PATCH    | profile/menu/sidebar                | profile.menu.sidebar              | App\Http\Controllers\ProfileMenuController@updateSidebar |
| PATCH    | profile/right-rail                  | profile.right-rail                | App\Http\Controllers\ProfileMenuController@updateRightRa |
| POST     | profile/themes                      | profile.themes.store              | App\Http\Controllers\ProfileThemeController@store        |
| PATCH    | profile/themes/{theme}              | profile.themes.activate           | App\Http\Controllers\ProfileThemeController@activate     |
| DELETE   | profile/themes/{theme}              | profile.themes.destroy            | App\Http\Controllers\ProfileThemeController@destroy      |
| DELETE   | profile/two-factor                  | profile.two-factor.disable        | App\Http\Controllers\ProfileTwoFactorController@disable  |
| POST     | profile/two-factor/confirm          | profile.two-factor.confirm        | App\Http\Controllers\ProfileTwoFactorController@confirm  |
| POST     | profile/two-factor/recovery-codes   | profile.two-factor.recovery-codes | App\Http\Controllers\ProfileTwoFactorController@regenera |
| POST     | profile/two-factor/setup            | profile.two-factor.setup          | App\Http\Controllers\ProfileTwoFactorController@setup    |
| POST     | profile/users                       | profile.users.store               | App\Http\Controllers\ProfileAccessController@storeUser   |
| POST     | profile/users/import                | profile.users.import              | App\Http\Controllers\ProfileAccessController@importUsers |
| GET HEAD | profile/users/import-template       | profile.users.template            | App\Http\Controllers\ProfileAccessController@downloadUse |

## Routes | projects

| Method    | URI  | Name                        | Action   |
|-----------|--|-----------------------------|--|
| GET HEAD  | api/v1/projects                              | api.v1.                     | App\Http\Controllers\Api\ProjectController@index         |
| POST      | api/v1/projects                              | api.v1.                     | App\Http\Controllers\Api\ProjectController@store         |
| GET HEAD  | api/v1/projects/{project}                    | api.v1.                     | App\Http\Controllers\Api\ProjectController@show          |
| PUT PATCH | api/v1/projects/{project}                    | api.v1.                     | App\Http\Controllers\Api\ProjectController@update        |
| DELETE    | api/v1/projects/{project}                    | api.v1.                     | App\Http\Controllers\Api\ProjectController@destroy       |
| PATCH     | api/v1/projects/{project}/tasks/{task}/stage | api.v1.                     | App\Http\Controllers\Api\ProjectController@updateTaskSta |
| GET HEAD  | projects                                     | projects.index              | App\Http\Controllers\ProjectController@index             |
| POST      | projects                                     | projects.store              | App\Http\Controllers\ProjectController@store             |
| GET HEAD  | projects/create                              | projects.create             | App\Http\Controllers\ProjectController@create            |
| GET HEAD  | projects/{project}                           | projects.show               | App\Http\Controllers\ProjectController@show              |
| PUT PATCH | projects/{project}                           | projects.update             | App\Http\Controllers\ProjectController@update            |
| DELETE    | projects/{project}                           | projects.destroy            | App\Http\Controllers\ProjectController@destroy           |
| GET HEAD  | projects/{project}/edit                      | projects.edit               | App\Http\Controllers\ProjectController@edit              |
| PATCH     | projects/{project}/tasks/{task}/stage        | projects.tasks.update-stage | App\Http\Controllers\ProjectController@updateTaskStage   |

## Routes | register

| Method   | URI      | Name     | Action   |
|----------|----------|----------|--|
| GET HEAD | register | register | App\Http\Controllers\Auth\RegisteredUserController@creat |
| POST     | register | -        | App\Http\Controllers\Auth\RegisteredUserController@store |

Routes | reports

| Method   | URI     | Name          | Action                                      |
|----------|---------|---------------|---|
| GET HEAD | reports | reports.index | App\Http\Controllers\ReportController@index |

## Routes | reset-password

| Method   | URI                    | Name           | Action   |
|----------|------------------------|----------------|--|
| POST     | reset-password         | password.store | App\Http\Controllers\Auth\NewPasswordController@store  |
| GET HEAD | reset-password/{token} | password.reset | App\Http\Controllers\Auth\NewPasswordController@create |

Routes | sanctum

| Method   | URI                 | Name                | Action   |
|----------|---------------------|---------------------|--|
| GET HEAD | sanctum/csrf-cookie | sanctum.csrf-cookie | Laravel\Sanctum\Http\Controllers\CsrfCookieController@sh |

## Routes | section-access

| Method | URI                     | Name                  | Action  |
|--------|-------------------------|-----------------------|---|
| PATCH  | section-access/{entity} | section-access.update | App\Http\Controllers\SectionAccessController@update |

## Routes | storage

| Method   | URI            | Name                 | Action  |
|----------|----------------|----------------------|---------|
| GET HEAD | storage/{path} | storage.local        | Closure |
| PUT      | storage/{path} | storage.local.upload | Closure |

## Routes | tasks

| Method    | URI                          | Name                | Action   |
|-----------|------------------------------|---------------------|--|
| GET HEAD  | api/v1/tasks                 | api.v1.             | App\Http\Controllers\Api\TaskController@index          |
| POST      | api/v1/tasks                 | api.v1.             | App\Http\Controllers\Api\TaskController@store          |
| GET HEAD  | api/v1/tasks/{task}          | api.v1.             | App\Http\Controllers\Api\TaskController@show           |
| PUT PATCH | api/v1/tasks/{task}          | api.v1.             | App\Http\Controllers\Api\TaskController@update         |
| DELETE    | api/v1/tasks/{task}          | api.v1.             | App\Http\Controllers\Api\TaskController@destroy        |
| PATCH     | api/v1/tasks/{task}/complete | api.v1.             | App\Http\Controllers\Api\TaskController@complete       |
| PATCH     | api/v1/tasks/{task}/status   | api.v1.             | App\Http\Controllers\Api\TaskController@updateStatus   |
| GET HEAD  | tasks                        | tasks.index         | App\Http\Controllers\TaskController@index              |
| POST      | tasks                        | tasks.store         | App\Http\Controllers\TaskController@store              |
| GET HEAD  | tasks/create                 | tasks.create        | App\Http\Controllers\TaskController@create             |
| PATCH     | tasks/kanban/preset          | tasks.kanban.preset | App\Http\Controllers\TaskController@updateKanbanPreset |
| GET HEAD  | tasks/{task}                 | tasks.show          | App\Http\Controllers\TaskController@show               |
| PUT PATCH | tasks/{task}                 | tasks.update        | App\Http\Controllers\TaskController@update             |
| DELETE    | tasks/{task}                 | tasks.destroy       | App\Http\Controllers\TaskController@destroy            |
| PATCH     | tasks/{task}/complete        | tasks.complete      | App\Http\Controllers\TaskController@complete           |
| GET HEAD  | tasks/{task}/edit            | tasks.edit          | App\Http\Controllers\TaskController@edit               |
| PATCH     | tasks/{task}/status          | tasks.update-status | App\Http\Controllers\TaskController@updateStatus       |

## Routes | telephony

| Method    | URI                           | Name                      | Action  |
|-----------|-------------------------------|---------------------------|---|
| GET HEAD  | api/v1/telephony/calls        | api.v1.                   | App\Http\Controllers\Api\TelephonyCallController@index      |
| POST      | api/v1/telephony/calls        | api.v1.                   | App\Http\Controllers\Api\TelephonyCallController@store      |
| GET HEAD  | api/v1/telephony/calls/{call} | api.v1.                   | App\Http\Controllers\Api\TelephonyCallController@show       |
| PUT PATCH | api/v1/telephony/calls/{call} | api.v1.                   | App\Http\Controllers\Api\TelephonyCallController@update     |
| DELETE    | api/v1/telephony/calls/{call} | api.v1.                   | App\Http\Controllers\Api\TelephonyCallController@destroy    |
| GET HEAD  | api/v1/telephony/settings     | api.v1.                   | App\Http\Controllers\Api\TelephonySettingsController@show   |
| PUT PATCH | api/v1/telephony/settings     | api.v1.                   | App\Http\Controllers\Api\TelephonySettingsController@update |
| GET HEAD  | telephony                     | telephony.index           | App\Http\Controllers\TelephonyController@index              |
| POST      | telephony/calls               | telephony.calls.store     | App\Http\Controllers\TelephonyController@storeCall          |
| PATCH     | telephony/settings            | telephony.settings.update | App\Http\Controllers\TelephonyController@updateSettings     |

## Routes | two-factor-challenge

| Method   | URI                  | Name                 | Action   |
|----------|----------------------|----------------------|--|
| GET HEAD | two-factor-challenge | two-factor.challenge | App\Http\Controllers\Auth\TwoFactorChallengeController@c |
| POST     | two-factor-challenge | two-factor.verify    | App\Http\Controllers\Auth\TwoFactorChallengeController@s |

Routes | up

| Method   | URI | Name | Action  |
|----------|-----|------|---------|
| GET HEAD | up  | -    | Closure |

## Routes | users

| Method   | URI            | Name       | Action                                   |
|----------|----------------|------------|--|
| GET HEAD | users/{member} | users.show | App\Http\Controllers\UserController@show |

## Routes | verify-email

| Method   | URI                      | Name                | Action   |
|----------|--------------------------|---------------------|--|
| GET HEAD | verify-email             | verification.notice | App\Http\Controllers\Auth\EmailVerificationPromptControl |
| GET HEAD | verify-email/{id}/{hash} | verification.verify | App\Http\Controllers\Auth\VerifyEmailController          |

## Routes | warehouses

| Method    | URI                           | Name               | Action   |
|-----------|-------------------------------|--------------------|--|
| GET HEAD  | api/v1/warehouses             | api.v1.            | App\Http\Controllers\Api\WarehouseController@index   |
| POST      | api/v1/warehouses             | api.v1.            | App\Http\Controllers\Api\WarehouseController@store   |
| GET HEAD  | api/v1/warehouses/{warehouse} | api.v1.            | App\Http\Controllers\Api\WarehouseController@show    |
| PUT PATCH | api/v1/warehouses/{warehouse} | api.v1.            | App\Http\Controllers\Api\WarehouseController@update  |
| DELETE    | api/v1/warehouses/{warehouse} | api.v1.            | App\Http\Controllers\Api\WarehouseController@destroy |
| GET HEAD  | warehouses                    | warehouses.index   | App\Http\Controllers\WarehouseController@index       |
| POST      | warehouses                    | warehouses.store   | App\Http\Controllers\WarehouseController@store       |
| GET HEAD  | warehouses/create             | warehouses.create  | App\Http\Controllers\WarehouseController@create      |
| GET HEAD  | warehouses/{warehouse}        | warehouses.show    | App\Http\Controllers\WarehouseController@show        |
| PUT PATCH | warehouses/{warehouse}        | warehouses.update  | App\Http\Controllers\WarehouseController@update      |
| DELETE    | warehouses/{warehouse}        | warehouses.destroy | App\Http\Controllers\WarehouseController@destroy     |
| GET HEAD  | warehouses/{warehouse}/edit   | warehouses.edit    | App\Http\Controllers\WarehouseController@edit        |

## Routes | webhooks

| Method | URI                     | Name               | Action   |
|--------|-------------------------|--------------------|--|
| POST   | api/webhooks/messengers | messengers.webhook | App\Http\Controllers\MessengerWebhookController@handle |
| POST   | api/webhooks/telephony  | telephony.webhook  | App\Http\Controllers\TelephonyWebhookController@handle |